



EXTERIOR LIGHTING

DESIGN GUIDE

- Site & Area Lighting
- Architectural Parks & Rec Post Tops
- Exterior Decorative & Linear
- Sport Lighting
- Bollards
- Ingrade
- Transit
- Floods
- Landscape

Brands By Current

Current CONTROL SOLUTIONS	Wireless control solutions for any application. led.com/controls-sensors	
Current FIXTURES & CONTROLS	A broad portfolio of commercial indoor and outdoor lighting and controls. led.com	
Current LAMPS & BALLAST	LED and traditional lamp and ballast replacements. led.com/brands/lamps	
architectural arealighting	Architectural outdoor lighting systems. currentlighting.com/aal	
ALBEO	An innovative line of industrial grade LED lighting luminaires. led.com/brands/albeo	
BEACON design . performance . technology	Specification grade outdoor LED products. currentlighting.com/beacon	
Columbia LIGHTING	Specification and commercial grade industrial luminaires. currentlighting.com/columbialighting	
EVOLVE	Market leading area, roadway, garage and flood for exterior environments. led.com/brands/evolve	
EXO OUTDOOR LIGHTING	Innovative and practical outdoor lighting solutions. currentlighting.com/exo	
FORUM	Specification grade, customizable architectural linear lighting systems. forumlighting.com	
immersic n	LED refrigerated display fixtures. led.com/brands/immersion-led-display-lighting	
KIMLIGHTING	High-performance decorative outdoor architectural lighting products. currentlighting.com/kimlighting	
kurt versen	Trendy and alluring, high quality and innovative designer lighting products. currentlighting.com/kurtversen	
lifeshield Lighting for Complex Spaces	Complete healthcare environment lighting applications. currentlighting.com/lifeshield	
LITECONTROL making light work™	Interior and exterior commercial linear LED lighting. currentlighting.com/litecontrol	
Lumination	Commercial and specification-grade LED luminaires. led.com/brands/lumination	
prescolite	Architectural, commercial and essential downlighting product tiers. currentlighting.com/prescolite	
Tetra	Channel letter, cabinet sign and border lighting. led.com/brands/tetra-led-system	
SpectraSync	Color temperature tuning technology for lighting control of indoor spaces. currentlighting.com/spectrasync	
WHITEWAY	Provides all inclusive packages for the convenience store and petroleum markets. currentlighting.com/whiteway	
SECURITY LIGHTING	Specializes in lighting solutions for the QSR, hospitality and petroleum industry. currentlighting.com/security-lighting	

Current GLI Controls

Daintree WIRELESS CONTROLS	Easy integration into indoor, outdoor and high bay environments. led.com/controls-sensors/daintree-wireless-controls	
LIGHT GRID	Specifically designed for roadway, street and commercial property applications. led.com/controls-sensors/lightgridplus	
LIGHT SWEEP	Modular indoor lighting control solution is scalable and highly flexible. led.com/controls-sensors/lightswEEP-control-panel	

Current HLI Controls

N LIGHTING CONTROLS	Interior and exterior lighting control solutions for single room to multi-location properties. currentlighting.com/nx-lighting-controls	
----------------------------	--	--

Brands By ABB

ABB Emergi-Lite	Emergency lighting and exit signs for the specification markets. tnb.ca/en/brands/emergi-lite	
ABB Hazlux	Hazardous and adverse applications for indoor and outdoor lighting. tnb.ca/en/brands/haxlux	

Independent Brands

ACCLAIM LIGHTING	Prestigious architectural interior and exterior lighting and controls, and urban lighting. acclaimlighting.com	
alphabet LIGHTING	Award winning commercial and architectural specification grade lighting and solutions. alphabetlighting.com	
Amico	Canadian based state-of-the-art healthcare lighting solutions and medical products. amico.com	
ARKANSAS LIGHTING STAY ILLUMINATED	Hospitality, multi-family, long-term care and residential lighting. arkansaslighting.com	
artika pro	Canadian indoor and outdoor professional lighting products and solutions. www.artika.ca/en/pro	
BETHEL INTERNATIONAL	Manufacturer and distributor of contemporary to traditional lighting fixtures. bethelin.com	
bios	Manufacturer of circadian lighting solutions that helps human and plant life naturally thrive. bioslighting.com	
BLU Ecosystem	Manufacturer of affordable, feature-rich lighting fixtures, controls and automation. blu-ecosystem.com	
BOCCI	Canadian manufacturer and design of creative sculptural lighting. bocci.com	
bruck	Award winning commercial and architectural specification grade lighting and solutions. brucklighting.com	
BubblyNet	Bluetooth Mesh qualified devices and components for wireless smart building spaces. bubblynet.com	
CASTALDI	A world renowned manufacturer of outdoor, indoor and specialized application lighting. castaldilighting.me.uk/	
CECOCECO	Unique, custom and advanced lighting and display solutions for diverse environments. cecoceco.com	

CHRISTIE LITES	Canadian supplier of stage lighting services and technical expertise. christielites.com	   
CRYSTORAMA LIGHTING	Interior and exterior lighting including crystal chandeliers. crystorama.com	   
DARK	Manufacturer of contemporary indoor decorative lighting. dark.be	   
EDISON LIGHTING GROUP	Canadian architectural lighting products with leading edge design and performance. edisonlighting.ca	   
ETC	A global leader in the manufacturing of lighting and rigging technology. etcconnect.com	   
EUROfase	A diverse selection of quality commercial, industrial and decorative lighting. eurofase.com	   
EUROfase Function	Modern, edgy, architectural recessed and surface mount customizable lighting. fase1lighting.com	   
EUROfase HEATING	High-quality, innovative Infrared heaters for residential and commercial applications. eurofaseheating.com	   
Everbrite	Comprehensive LED signage and display solutions to leading companies worldwide. everbrite.com	   
ewo	Manufacturer of high-end exterior lighting systems for public spaces. ewo.com	   
FERRO	Manufacturer of minimalistic indoor and outdoor lighting with Dutch design & craftsmanship. ferrolightdesign.com	   
FOCUS INDUSTRIES	Manufacturer of LED, landscape, architectural, hospitality, entertainment and custom lighting. focusindustries.com	   
GHIDINI	Exterior architectural lighting fixtures with contemporary and functional designs. ghidini.it/en/home	   
GMLighting	Undercabinet, accent and LED linear lighting for commercial and residential applications. gmlighting.net	   
HINKLEY LIGHTING	Manufacturer of interior and exterior residential lighting and ceiling fans. hinkleylighting.com	   
HUNZA CANADA Pure Outdoor Lighting	Commercial and residential high quality low voltage landscape lighting. hunzalighting.com	   
ILFARI	Artistic high-end range of decorative lighting. ilfari.com	   
in-lite	Manufacturer of sustainable and energy efficient outdoor lighting. in-lite.com/en-ca	   
J2 LIGHT	Innovative fixture designs and an affordable Bluetooth network lighting control system. www.j2light.com	   
LARK	Classic, transitional, modern and mid-century modern, interior and exterior residential lighting. larkliving.com	   
LightTape	Manufacturer of the longest, thinnest and most durable electroluminescent light in the world. lighttape.com	   
LUCITALIA MILANO	Interior lighting fixtures with contemporary and functional designs. ghidini.it/en/catalog/lucitalia	   
Lumca LIGHTING LIFE	Canadian made architectural outdoor lighting for municipalities and commercial sites. lumca.com	   

LUMEN WARM	Canadian manufacturer of specification grade interior LED architectural lighting. lumenwarm.com/en/	   
Luminart	Innovative architectural lighting solutions for both interior and exterior environments. luminartlighting.com	   
LuxR LED BY DESIGN	Residential high quality low voltage landscape lighting. luxrled.com	   
MAGIC LITE	Top-quality architectural and specialty lighting products for the Canadian market. https://magiclite.com/	   
Metalumen Ideas brought to light	Canadian made linear lighting for education, healthcare, commercial & transportation. metalumen.com	   
MODERN FORMS	WAC division of high-end LED designs for wall and pendant luminaires, and ceiling fans. modernforms.com	   
New Star	High abuse, vandal resistant, custom architectural, cleanroom and healthcare lighting. newstarlighting.com	   
PARIS MIRROR	A wide range of contemporary, cutting-edge design LED mirrors. parismirror.com	   
PEERLESS electric-électrique	Canadian lighting manufacturer for architectural, commercial, industrial and health care. peerless-electric.com	   
PRIMA LIGHTING	Decorative track lighting and pendant systems, recessed, display and wall sconce luminaires. primallighting.com	   
REFRESH Fans Inc.	High volume low speed fans for commercial, industrial and agricultural applications. refreshfans.com	   
saas Saas Instruments	Quality interior and exterior lighting of the latest fibre optics and LED technologies. saas.fi/en/	   
selux	Manufacturer of advanced, energy-efficient, interior and exterior luminaires. selux.us/usa/en	   
SPI LIGHTING	A leader in architectural and performance luminaires for interior and exterior applications. spilighting.com	   
SPIN SPINA'S STEEL WORKERS CO., LTD.	Lighting poles for commercial, industrial, residential and traffic applications. spinasteel.com	   
TEHOMET A valmont COMPANY	Architectural wooden and metal poles. tehomet.com/en	   
TLS Architectura Lighting	The most versatile surface lighting technology, with endless design possibilities. tls-led.com	   
USI UTILITY STRUCTURES	Spun concrete poles and bollards. utilitystructures.com	   
valmont	Architectural wooden and metal poles. valmont.com	   
Vesoi	Manufacturer of interior modern-classic lighting and accessories. vesoi.com/en	   
WAC LIGHTING Responsible Lighting	Interior and exterior architectural, decorative, landscape lighting and ceiling fans. wacighting.com	   
ZANIBONI LIGHTING	High quality interior architectural lighting systems. zanibonilighting.com	   
zlux AESTHETICALLY LUMINOUS	Canadian aluminum composite lampposts, bollards, and columns. Dark-sky compatible zlux.com/en/eclairage	   

RATIO FAMILY





Beacon Lighting provides comprehensive and coordinated solutions for a variety of exterior applications. A full line of luminaires are available with complementing shapes and styles that proportionally scale and add balance to the outdoor environment.

Quality construction and industry leading performance complete the package. Control options featuring photocontrols, occupancy controls and NX Distributed Intelligence™ enable optimum energy savings and customization.



SINGLE CONFIGURATIONS



RATIO

Controls in every applications save energy, extend luminaire life and allow customizable solutions. Scalable control solutions are available cross the entire Ratio family

STANDALONE CONTROLS FUNCTIONALITY


Occupancy Sensor

- Individual fixture control
- Dims product when space is not occupied



Photocontrol

- Individual fixture control
- Turns fixture on when sun sets



INTEGRATED CONTROLS



NX Distributed Intelligence™ platform delivers a lighting control solution capable of seamlessly connecting exterior and interior applications.

- Standalone or networked fixture control
- Astronomical time schedules
- BACnet building networking
- Connects with indoor wired, wireless or hybrid networks
- Wireless setup via app
- Occupancy Sensor option dims product when space is not occupied



7-Pin Receptacle

- Compatible with 3-pin, 5-pin or 7-pin photocontrols
 - Turns fixture on when sun sets, off when sun rises
 - Wireless networked solution
 - For use with a variety of control platforms
- *Additional accessories required



VIPER FAMILY



VERSATILITY

DESIGN

The new Viper includes scalable Area and Flood designs capable of complementing contemporary or traditional architecture. Additional features such as multiple mounting options, replaceable power doors and an IP65 rating are standard offerings in this exceptionally versatile fixture.

PERFORMANCE

Each product is available with a variety of lumen outputs and distributions to satisfy a wide range of applications. Viper's scalability allows us to customize the output to meet specific design criteria. The precise beam control of the Viper helps reduce energy consumption and light trespass while providing high uniformity and visual acuity.

TECHNOLOGY

Simple or dynamic controls are available in every product configuration to give solutions for ever-changing code requirements and additional energy savings



PERFORMANCE

VISUAL COMFORT

The Viper's unique optical design combines visual uniformity with the precise distribution of a Total Internal Reflection (TIR) optic. Five times the luminous surface area provides optimal light distribution plus visual comfort.

BACKLIGHT CONTROL

Less than 12% of the light emitted out of Micro Strike and Strike is thrown behind the pole, meaning 88% is utilized on application. That inherently means less energy is wasted on light that is not being used. For even greater backlight control, additional backlight control shields can be used to limit spill down to 5%.

IES comparison

The Viper Wall is available with three distinct distribution patterns to illuminate a variety of applications. Featuring Micro Strike Optics which maximizes target zone illumination with minimal losses at the house-side, reducing light trespass. In the illustration below, the Viper Wall luminaires illuminate the building perimeter and contribute substantial illumination to the parking area and drive lanes adjacent to the building.

AREA MICRO STRIKE OPTICS

Micro Strike optics are one of the optical choices available in the Viper. These optics have been specifically designed to replace HID luminaires with improved uniformity on application. This, combined with the high lumens per watt, makes Micro Strike the perfect choice for the most common applications.

AREA STRIKE OPTICS


Strike optics are another optic choice that allow for maximized pole spacing, minimal backlight and provide specialty distributions for unique application requirements.

Benefits

- Key distributions for every day applications
- High efficacy and lumens per watt
- Single piece optic provides more visual comfort
- Phosphor converted amber LED option
- Field rotatable for flexibility in mounting orientations
- Backlight control available to reduce light behind the pole

Benefits

- Specialty Distributions for unique applications or specification requirements
- Maximum Fixture Spacing
- Individual optics provide greater optical control
- True amber LED option
- Field rotatable for flexibility in mounting orientations
- Backlight control available to reduce light behind the pole



DECORATIVE & POST TOPS



BEACON Brighton



BEACON La Jolla



BEACON LCS



BEACON London



BEACON Mediterranean



BEACON Metropolis




BEACON Monaco



BEACON Traditional



BEACON Urban Micro Strike




BEACON Urban Strike Optic



BEACON Windsor


FLOODLIGHT SOLUTIONS




BEACON RFL2 Ratio Floodlight
Category:
Flood
Lumen Range:
3,100-3,200 lm



BEACON RFL3 Ratio Floodlight
Category:
Flood
Lumen Range:
4,800-6,800 lm



BEACON RFL4 Ratio Floodlight
Category:
Flood
Lumen Range:
12,000-14,500 lm



BEACON RFL5 Ratio Floodlight
Category:
Flood
Lumen Range:
15,000-30,000 lm



BEACON Viper Flood Size 1
Category:
Flood, Sports Lighting
Lumen Range:
5,500-18,000 lm



BEACON Viper Flood Size 2
Category:
Flood, Sports Lighting
Lumen Range:
18,00-33,000 lm



BEACON Viper Flood Size 3
Category:
Flood, Sports Lighting
Lumen Range:
36,00-44,000 lm



BEACON Viper Flood Size 4
Category:
Flood, Sports Lighting
Lumen Range:
48,00-60,000 lm

Current

SPORT FIELD LIGHTING



TURF SPORTS LIGHTER




Standard yoke mounting with single 3/4" bolt. Yoke also includes vertical aiming indicators, adjustable in 5 degree increments. Fixture is 3G vibration rated.

Lumen outputs up to 114,000 lumens and 153 LPW give superior performance to legacy products and provide additional energy savings.


Visor and Laser aiming accessories available and can be field installed.

Current



Designed to efficiently light recreational, collegiate, and professional events. Arena, sign, facade, area, accent, parking lot and general security lighting applications can also utilize the Turf Sports Lighter.

Retrofit Solution




The Turf Sports Lighter is designed to replace 1500W HID products 1 for 1 and even has the capability of reducing fixture count which can result in more than 54% energy savings. This doesn't include additional savings from reduction in maintenance costs and sustained lighting levels. Upgrading your sports lighting has never been so easy!



1000w-1500w HID to LED LAMP RETROFIT

Ballfield Benefits from an LED Lamp Upgrade GE lamps high output BT56 Case Study



Outstanding Uniformity from LED Retrofit

Current

CEILING, CANOPY & GARAGE



BEACON Ceileo

Category:

Canopy & Garage

Lumen Range:

3,200-6,200 lm

Wattage Range:

25 - 50 W



BEACON Drive SRT1

Category:

Canopy & Garage

Lumen Range:

2,000-6,800 lm

Wattage Range:

20 - 49 W



BEACON Drive SRT2

Category:

Canopy & Garage

Lumen Range:

4,000-16,000 lm

Wattage Range:

31 - 150 W



BEACON Endura

Category:

Canopy & Garage

Lumen Range:

3,000-13,000 lm



BEACON GSY - Galasy II

Category:

Canopy & Garage

Wattage Range:

55 - 140 W



BEACON LSQ - Lumasquare® Series

Category:

Canopy & Garage



BEACON VSH-Vanish

Category:

Canopy & Garage

Lumen Range:

4,400-20,200 lm

Wattage Range:

55 - 140 W

Current

WALL MOUNT



BEACON TRP2 Geo Pak

Category:
Wall Mount
Lumen Range:
3,200-11,000 lm



BEACON VPW1 Viper Wall

Category:
Wall Mount
Lumen Range:
1,000 – 3,000 lm



BEACON VPW2 Viper Wall

Category:
Wall Mount
Lumen Range:
2,000 – 8,500 lm



BEACON VPW3 Viper Wall

Category:
Wall Mount
Lumen Range:
7,000 – 20,000 lm



BEACON RWL1 Ratio

Category:
Wall Mount
Lumen Range:
1,300 – 5,800 lm



BEACON RWL2 Ratio

Category:
Wall Mount
Lumen Range:
6,400 – 20,000 lm



BEACON Traverse

Category:
Wall Mount
Lumen Range:
3,300 – 17,000 lm



BEACON TRP1 GeoPak

Category:
Wall Mount
Lumen Range:
1,700 – 2,800 lm



BEACON QSP1 GeoPak

Category:
Wall Mount
Lumen Range:
1,700 – 2,800 lm



BEACON QSP2 GeoPak

Category:
Wall Mount
Lumen Range:
3,200 – 11,000 lm



BEACON RDI1 GeoPak

Category:
Wall Mount
Lumen Range:
1,700 – 2,800 lm



BEACON RDI2 GeoPak

Category:
Wall Mount
Lumen Range:
3,200 – 11,00 lm

STANDALONE CONTROLS FUNCTIONALITY


Occupancy Sensor

- Individual fixture control
- Dims product when space is not occupied



Photocontrol

- Individual fixture control
- Turns fixture on when sun sets



INTEGRATED CONTROLS



NX Lighting Controls platform delivers a lighting control solution capable of seamlessly connecting exterior and interior applications.

- Standalone or networked fixture control
- Astronomical time schedules
- BACnet building networking
- Connects with indoor wired, wireless or hybrid networks
- Wireless setup via app
- Occupancy Sensor option dims product when space is not occupied



7-Pin Receptacle

- Compatible with 3-pin, 5-pin or 7-pin photocontrols
- Turns fixture on when sun sets, off when sun rises
- Wireless networked solution
- For use with a variety of control platforms

*Additional accessories required



Current



KIM LIGHTING
Ouro Edge-Lit Post Top

Category:
Area, Site & Roadway,
Decorative & Post Top
Lumen Range:
2,958 – 15,227 lm



KIM LIGHTING
Ouro Edge-Lit Solo Arm

Category:
Area, Site & Roadway,
Decorative & Post Top
Lumen Range:
2,958 – 15,227 lm



KIM LIGHTING
Ouro Post Top

Category:
Area, Site & Roadway,
Decorative & Post Top



KIM LIGHTING
Ouro Solo Arm

Category:
Area, Site & Roadway,
Decorative & Post Top



KIM LIGHTING
Ouro Arm Mount

Category:
Area, Site & Roadway,
Wall Mount



KIM LIGHTING
Ouro Edge-Lit Arm Mount

Category:
Area, Site & Roadway,
Wall Mount
Lumen Range:
3,105 -16,091 lm



KIM LIGHTING
Solitaire

Category:
Decorative & Post Top
Lumen Range:
3,155 -15,616 lm



KIM LIGHTING
Era® RA

Category:
Decorative & Post Top
Lumen Range:
2,220 – 20,195 lm



KIM LIGHTING
The Archetype®

Category:
Area, Site & Roadway
Lumen Range:
2,714 – 20,338 lm



KIM LIGHTING
The Entablature®

Category:
Area, Site & Roadway
Lumen Range:
2,496 – 11,138 lm



KIM LIGHTING
Warp9®

Category:
Area, Site & Roadway
Lumen Range:
1,783 – 14,924 lm



KIM LIGHTING
Curvilinear Cutoff

Category:
Area, Site & Roadway
Lumen Range:
1,286 – 24,572 lm




KIM LIGHTING

Altitude®


Category:
Area, Site & Roadway
Lumen Range:
5,001 – 50,000 lm



EPA	Side View	Front View	Weight
	.64	.37	



EPA	Side View	Front View	Weight
	.85	.44	



EPA	Side View	Front View	Weight
	.98	.50	



Size 3
No Lens | Up to 135 lumens/watt
168L-305 40,000 lm
168L-350 45,000 lm
168L-385 50,000 lm

Size 2
No Lens | Up to 139 lumens/watt
100L-160 20,000 lm
100L-200 25,000 lm
100L-240 30,000 lm
100L-285 35,000 lm

Size 1
No Lens | Up to 148 lumens/watt
28L-20 3,000 lm
28L-40 5,000 lm
28L-60 7,500 lm
28L-85 10,000 lm
56L-95 12,500 lm
56L-120 15,000 lm
56L-155 17,500 lm



KIM LIGHTING

Bounce®

Category:
Decorative & Post Top
Lumen Range:
1,780 – 9,264 lm



KIM LIGHTING

Era® Acorn AE

Category:
Decorative & Post Top
Lumen Range:
2,501 – 30,000 lm



KIM LIGHTING

Era® Bell BE

Category:
Decorative & Post Top
Lumen Range:
2,501 – 30,000 lm



KIM LIGHTING

Era® Lantern LE

Category:
Decorative & Post Top
Lumen Range:
1 – 5,000 lm



KIM LIGHTING
PGL8

Category:
Wall Mount, Canopy & Garage
Lumen Range:
4,189 – 13,860 lm
Wattage Range:
50 – 150 lm



Nearly three decades ago, Kim Lighting set the bar for parking garage lighting with the introduction of the PGL. This innovative product was the first to offer an integrated, direct/indirect luminaire purposely designed for modern parking garage facilities. This rich legacy of leading edge innovation and performance continues with PGL8. With an Edge-Lit Drop Lens, sleek form and a broad offering of control solutions, Kim Lighting raises the bar again for parking garage illumination.



KIM LIGHTING
Prevent Round

Category:
Wall Mount, Canopy & Garage
Lumen Range:
1,260 – 7,430 lm





EXTERIOR LINEAR



PURSUIT™

SURFACE | PENDANT | RECESSED

LINEAR WITHOUT LIMITATION



Current Control Solutions' NX lighting controls platform utilizes a Distributed Network Architecture (DNA) that connects intelligent devices including luminaires, controllers, panels, occupancy sensors, photocells, wall switches and dimmers, creating a system with an unmatched level of reliability, scalability and simplicity



CONTROL OPTIONS

- SCP - Dim Occupancy Sensor
- NXWE* - NX Networked Wireless Radio Module, without Sensor
- NXOSW* - NX Networked Wireless Radio Module and Integral NXSMP-OMNI-O PIR Occupancy Sensor with Automatic Dimming Photocell and Bluetooth Programming

- ### PHOTOCELL OPTIONS
- PC Button Photocell



FLOODLIGHTING



KIM LIGHTING
KFL RGBW
Architectural Floodlights

Category:
Flood



KIM LIGHTING
KFL Static White
Architectural Floodlights

Category:
Flood
Lumen Range:
1,839 – 21,710 lm



KIM LIGHTING
Intent RGBW
Architectural Floodlights

Category:
Flood
Lumen Range:
657 – 3,271 lm



KIM LIGHTING
Intent Static White
Architectural Floodlights

Category:
Flood
Lumen Range:
2,803 – 15,162 lm

SPOT
lighting



COLUMN
lighting



SIGN



TREE
landscape



BRIDGES



Current

WALL MOUNT



KIM LIGHTING Director® 2.0
Category:
 Wall Mount
Lumen Range:
 2,500 – 16,000 lm



CANOPY LIGHTING
 Ideal for lighting canopies, the Wall Director's -5° to +10° of adjustable tilt optimizes lighting effects.



WALL DIRECTOR

The next generation Wall Director is the evolution of the Kim Classic. The timeless design has been refined to a smaller profile luminaire while being true to the simple flowing lines and architectural shape. Wall Director offers high performance IES distributions, high comfort diffused lens option, integral controls, and battery backup.



KIM LIGHTING Site Wallforms®
Category:
 Wall Mount
Lumen Range:
 1 – 2,500 lm



SW1/36L5KUV/DB



SW3/36L5KUV/SG



KIM LIGHTING Cypher-Rounded Edge
Category:
 Wall Mount
Lumen Range:
 1,300 – 5,000 lm



KIM LIGHTING Cypher-Triangle/Wedge
Category:
 Wall Mount
Lumen Range:
 1,300 – 5,000 lm



KIM LIGHTING Cypher-Circle/Curved
Category:
 Wall Mount
Lumen Range:
 1,300 – 5,000 lm



KIM LIGHTING Cypher-Cylinder Balanced/Tall
Category:
 Wall Mount
Lumen Range:
 1,300 – 5,000 lm



KIM LIGHTING Cypher-Flat
Category:
 Wall Mount
Lumen Range:
 1,300 – 5,000 lm



KIM LIGHTING Cypher-Ghost
Category:
 Wall Mount
Lumen Range:
 1,300 – 5,000 lm





KIM LIGHTING
In-Grade Minivault
Category:
In Grade



KIM LIGHTING Lightvault®
8 Directional Marker
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 Eyeball
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 Flat Frame
Category:
In Grade
Lumen Range:
1 – 5,000 lm



KIM LIGHTING Lightvault®
8 Half Shield
Category:
In Grade
Lumen Range:
1 – 5,000 lm



KIM LIGHTING Lightvault®
8 RGBW Eyeball
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 RGBW Flat Frame
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 RGBW Half Shield
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 RGBW Rock Guard
Category:
In Grade
Lumen Range:
1 – 2,500 lm




KIM LIGHTING Lightvault®
8 RGBW Stainless Steel
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 Rock Guard
Category:
In Grade
Lumen Range:
1 – 2,500 lm



KIM LIGHTING Lightvault®
8 Stainless Steel
Category:
In Grade
Lumen Range:
1 – 5,000 lm





Lane Delineation for Cyclists
Marked bike lanes along the road are often not enough to keep cyclists safe. Impact bollards prevent motorists from crossing over into the bike lane while making a right turn or using them as parking lanes. Bollards used to delineate lanes requires drivers to sharing the roadway with cyclists and to stay in their own lanes.


Protection for Infrastructure
Impact bollards can be used to protect valuable infrastructure: electrical boxes, telephone switch boxes, water shut off valves, etc., keeping vehicles at safe distance. (Product above specified with RAL 1003 Signal Yellow)



Design CONSIDERATIONS


Pedestrian Safety
Bollards can help guide traffic in congested areas such as parking lots to define traffic lanes and help the flow of traffic, demark entry and exit points, and provide protection to parking booths. A frequent application is using impact bollards in malls, shopping centers to prevent cars from jumping the curb to protect pedestrians foot traffic.

Traffic Barrier
Closely spaced lines of bollards can form a traffic barrier to separating vehicles from pedestrians, bicycles, wheelchairs, and strollers. Typical applications for parking lot entrance to a stores or malls, and at the intersection where streets have converted to outdoor malls or pedestrian walking ways.



IMPACT RATED
Pavilion can be configured with louvers, grilles or choice of a clear or a diffused vertical lenses for increased vertical illumination with no glare at normal viewing angles and are optimized to deliver class-leading efficacy.

ENGINEERED EXCELLENCE



DECORATIVE PAVILION BOLLARD SLEEVE

6.0" STEEL POST
Provides the strength to resist impact

STRESS BRACKET
Centers the post in the hole allowing even distribution of concrete around the post.

REBARCAGE
Reinforce the concrete

THE PAVILION IMPACT BOLLARD is being offered in two 44" models: non-illuminated (blind) or illuminated. The illuminated version offers all of the options available with the standard Pavilion: six distributions, seven optical options, crowned or flat top, optional RGBW color ring and control option. A matching 44" standard version is available to match the Impact bollard to blend seamlessly with the rest of the project.

CRASH RATED VS. SECURITY
Kim's impact bollard systems are full-scale crash tested by an independent accredited test agency to meet ASTM F3016 and proven safety solutions for stopping a 5,000-lb passenger truck at 10, 20, or 30 mph. These should not be confused with "engineered solutions" where calculations or finite element analyses are performed to estimate the bollard's performance. Full documentation is available showing these bollards have been real-world, dynamically tested to meet the rigorous criteria of ASTM F3016 and will perform as specified.

THE IMPACT BOLLARD meets the American Society for Testing and Materials (ASTM) S20 rated. The S20 rating from a nominal minimum test velocity of 20 mph with a permissible speed range of 19.0 to 27.4 mph for vehicles weighing up to 5000 pounds. This is the ideal solution for parking lots or walkway applications to protect pedestrians and property from errant vehicle traffic.



DISTRIBUTIONS

PAVILION is an architectural solution for any project that would like to provide safety to pedestrians and property without the high security look. It can be configured for a wide range of applications:

- pedestrian
- walkways, crosswalks, bike paths, parking garages and mall parking lots. Pavilion delivers 5 IES distribution types: I, II, III, IIII
- with house side shield, IV, V



Current



**ARCHITECTURAL AREA
Lighting Flex®**



**ARCHITECTURAL AREA
Lighting Kick™ Medium**



**ARCHITECTURAL AREA
Lighting Kick™ Mini**



**ARCHITECTURAL AREA
Lighting Kick™ Mini Small**



**ARCHITECTURAL AREA
Lighting Kick™ Small**





**ARCHITECTURAL AREA
Lighting Slide - Catenary**



**ARCHITECTURAL AREA
Lighting Slide - Pendant**



**ARCHITECTURAL AREA
Lighting Slide - Post Top**



TRADITIONAL / TRANSITIONAL | PARKS AND RECREATION



ARCHITECTURAL AREA
Lighting Federal Globe
Large



ARCHITECTURAL AREA
Lighting Federal Globe
Small



ARCHITECTURAL AREA
Lighting Largent – SLVT2



ARCHITECTURAL AREA
Lighting Parkway Square®
Accent



ARCHITECTURAL AREA
Lighting Parkway Square®
Pedestrian



ARCHITECTURAL AREA
Lighting Promenade
– PRM22



ARCHITECTURAL AREA
Lighting Promenade
– PRM32



ARCHITECTURAL AREA
Lighting Promenade
– PRMD2



ARCHITECTURAL AREA
Lighting Promenade
- PRMN2



ARCHITECTURAL AREA
Lighting Promenade
- PRMS2



ARCHITECTURAL AREA
Lighting Providence®
Large – PROL2



ARCHITECTURAL AREA
Lighting Providence®
Large – PROV2



ARCHITECTURAL AREA
Lighting Providence®
Small



ARCHITECTURAL AREA
Lighting Spectra
Large



ARCHITECTURAL AREA
Lighting Spectra
Small



ARCHITECTURAL AREA
Lighting Towne
Commons® – ALN440



ARCHITECTURAL AREA
Lighting Towne
Commons® - ALN445



ARCHITECTURAL AREA
Lighting Universe®
Large – UCL2




ARCHITECTURAL AREA
Lighting Universe®
Medium – UCM2



ARCHITECTURAL AREA
Lighting Universe®
Small

LED BOLLARD COLLECTION



ARCHITECTURAL AREA Lighting Kick™ Bollard

Category:
Bollards
Lumen Range:
1 – 2,500 lm



ARCHITECTURAL AREA Lighting Providence® Bollard

Category:
Bollards
Lumen Range:
1 – 2,500 lm



ARCHITECTURAL AREA Lighting Spectra Bollard

Category:
Bollards
Lumen Range:
1 – 2,500 lm



ARCHITECTURAL AREA Lighting Universe® Bollard

Category:
Bollards
Lumen Range:
1 – 2,500 lm



BEACON Fresno Bollards

Category:
Bollards
Lumen Range:
600 – 1,900 lm



BEACON RBD Ratio Bollard

Category:
Bollards
Lumen Range:
1 – 3,200 lm



BEACON Viper Bollard

Category:
Bollards
Lumen Range:
1,000 – 6,000 lm



SLING BOLLARD – ROUND | SQUARE



SGB-R-LSCS SGB-S-LSCS



LED BOLLARD COLLECTION

KIM LIGHTING



KIM LIGHTING B30 Traditional Bollards

Category: Bollards



KIM LIGHTING Bounce® Bollard

Category: Bollards
Lumen Range: 1 – 2,500 lm



KIM LIGHTING CB/VRB/VSB/B30 LED KIT

Category: Bollards, Retro Kits
Lumen Range: 2,501 – 5,000 lm



KIM LIGHTING Compact Bollards

Category: Bollards
Lumen Range: 1 – 2,500 lm



KIM LIGHTING Gem LED Replacement Kit

Category: Bollards, Retrofit kits
Lumen Range: 1 – 2,500 lm



KIM LIGHTING Gem® Performance Bollards

Category: Bollards
Lumen Range: 1 – 2,500 lm



KIM LIGHTING Mini Bounce

Category: Bollards
Lumen Range: 1 – 2,500 lm



KIM LIGHTING Impact Bollard

Category: Bollards
Lumen Range: 397 – 2,350 lm



KIM LIGHTING Pavilion Round

Category: Bollards



KIM LIGHTING Pavilion Square

Category: Bollards



KIM LIGHTING Lightforms

Category: Bollards
Lumen Range: 1 – 2,500 lm



KIM LIGHTING Vandal-Resistant Round Bollards

Category: Bollards

Current

SLING: AREA | SITE

AREA & SITE



Size	Sling Area/Site (ASL1)	Sling Area/Site (ASL1)	Sling Area/Site (ASL2)
Lumens	3,000–6,000	9,000–18,000	21,000–36,000
Watts	25-50W	70–135W	145-255W
LPW	140	143	148
Mounting	Mast Arm, Wall	Mast Arm, Wall	Mast Arm, Wall
CCT	3K, 4K, 5K	3K, 4K, 5K	3K, 4K, 5K
Distributions	2, 3, 4F, 4W, 5QW	2, 3, 4F, 4W, 5QW	2, 3, 4F, 4W, 5QW
Surge Protection	20kA	20kA	20kA
Legacy Equivalence	100–175W	175–400W	400–1000W



WALL MOUNT | versatile design and control

4" junction box with easy install mounting plate

Four 1/2" threaded hubs for surface conduit wiring

Standard clear lens and optional comfort lens accessory



Rugged die-cast housing features isolation of LED driver from light engine and heat dissipating vents for maximum LED life and performance



FLOODLIGHTING



IP66



BOLLARDS



CEILING | GARAGE | CANOPY



Current

SLING: AREA | SITE

AREA & SITE



EXO SG Sling Wall

Category:
Wall Mount, Flood



EXO SGD Sling Dusk-to-Dawn

Category:
Wall Mount, Area,
Site & Roadway



EXO Sling Area

Category:
Area, Site & Roadway
Lumen Range:
5,001 – 30,000 lm



EXO Sling Area tradeSELECT

Category:
Area, Site & Roadway
Lumen Range:
5,001 – 30,000 lm

WALL MOUNT



EXO LNC Litepack

Category:
Wall Mount
Lumen Range:
1 – 2,500 lm



EXO LNC2 LitePak Micro Strike

Category:
Wall Mount
Lumen Range:
1 – 5,000 lm



EXO Perimaliter®

Category:
Wall Mount
Lumen Range:
2,500 – 10,000 lm



EXO Perimaliter® PVL3

Category:
Wall Mount
Lumen Range:
2,500 – 10,000 lm



EXO Prelude Wallpacks

Category:
Wall Mount
Lumen Range:
700 – 8,000 lm



EXO PRS Perimashield

Category:
Wall Mount
Lumen Range:
1 – 2,500 lm



EXO VBGL2-VWGL2 Wet Location LED Vaportites

Category:
Wall Mount, Canopy & Garage



EXO WGH Switchable

Category:
Wall Mount
Lumen Range:
3,000 – 17,000 lm

FLOODLIGHTING



EXO Lightscraper® Floodlight

Category:
Flood, Landscape
Lumen Range:
984 – 2,000 lm



EXO Lightscraper® RGBW Floodlight

Category:
Flood
Lumen Range:
142 – 1,950 lm



EXO Marshal

Category:
Flood
Lumen Range:
2104 lm



EXO MBUL Mini Decorative LED Bullet

Category:
Flood, Landscape
Lumen Range:
1 – 2,500 lm

AREA & SITE



EVOLVE® EACL

The EACL expands the range of lumen packages down to 3,000 lumens. It is a cost-effective solution for exterior applications requiring below 20,000 lumens



EVOLVE® EALS

The EALS is ideal for commercial property site-lighting with various mounting options, up to 30,000 lumens and a robust design that allows flexibility.



EVOLVE® EALP

The EALP offers a variety optical and lumen packages, with three color temperatures and multiple mounting options for ultimate application flexibility.



EVOLVE® Sports Lighter (ESPL)

The Evolve ESP LED sports lighter is designed to replace legacy 1500W HID systems one-for-one.

DECORATIVE LED POST TOPS



EVOLVE® EPAM

The Evolve® EPAM Series LED Americana Post Top offers energy efficiency and quality of light in a classic, Acorn look and style.



EVOLVE® EPTT

The Evolve® EPTT Series LED Post Top - Town & Country offers energy efficiency, improved uniformity, and high quality of light with a classic open or refractor style.



EVOLVE® EPST


The Evolve® EPST Series LED Post Top - Salem offers energy efficiency, improved uniformity, and quality of light in a classic, utility carriage look and style.



EVOLVE® EPTC

The Evolve® EPTC Series LED Post Top - Contemporary Twin Support offers energy efficiency, and quality of light in your choice of two distinct, modern styles.

CANOPY & GARAGE



EVOLVE® ECLS

The ECLS offers energy efficiency and quality of light in a sleek low-profile look and style. Ideal for closed ceiling, drive thru and sidewalk applications.



EVOLVE® ECLP

The ECLP offers energy efficiency and quality of light in a sleek low-profile look. Suitable for wet locations, optimized for open canopy applications.



EVOLVE® EG2R

The EG2R features advance LED optic specifically designed for applications such as parking decks, with high uniformity and reduced glare it is ideal for safety.

FLOODLIGHTS



EVOLVE® EFC

The EFC Compact Flood Light is a replacement for 50W to 150W HID general purpose flood luminaires offering significant energy savings with a long-life LED light source.



EVOLVE® EFH

The EFH offers world class performance and durability. Ideal for traditional flood solutions like building facade, billboard, warehouse docks and freight yards.



EVOLVE® EFM

The EFM is our mid-lumen option for flood lighting built for durability. Ideal for general flood lighting and designed to replace up to a 400W HID fixture.



EVOLVE® EFMH

The EFMH is a medium output line of Hazardous Rated flood lights offering world class performance and durability for industrial, indoor or outdoor applications.


OUTDOOR LINEAR



AQUAS



HYDRO



AQUAS



NX LIGHTING CONTROLS



CONNECTED LIGHTING - OUTDOOR

Wireless Solutions

NX Lighting Controls offers a broad portfolio of wireless control devices and NX enabled luminaires to deliver a scalable solution to support a variety of outdoor standalone and networked applications. With the removal of wires and simple programming through mobile app or enterprise software, NX Wireless provides a cost-effective install with multiple integrated control methods to comply with code and reduce energy costs. Please scan QR code to view complete list of NX enabled luminaires from Current.



Site & Area



Bollard



Flood & Wall Mount



Canopy & Garage



Sensors



Integrated Solutions

SYSTEM OVERVIEW



ONE SYSTEM WIRED AND WIRELESS
Inside and Out

INDOOR & OUTDOOR DEPLOYMENT

Single System for any commercial site spanning indoor and outdoor applications

CONNECTED LIGHTING PORTFOLIO

Broad offering of NX Enabled Luminaires that simplify installation and system costs

INTELLIGENCE IS IN OUR DNA

Utilizes a Distributed Network Architecture (DNA) to eliminate single point of failure to deliver unmatched reliability and scalability

SITE MANAGEMENT

NX Network provides single user interface for system maintenance and configuration

BUILDING INTEGRATION

The NX system is BTL certified ensuring a seamless experience with existing building management systems



LINEAR



Adapt Linear DMX



Linear One Exterior



Linear One Interior



Linear One DMX Exterior



Linear One DMX Interior



Adapt Linear




AI Cove



Adapt Cove



Linear XTR



Terra Linear



Aqua Graze



Dyna Graze HD Exterior DMX



Pixel Graze



AI Graze DC DMX

DIRECT VIEW



AI Graze AC



Linear XTR Direct View



Pixel Bar



AI Dot AC



Flex Tube SC G2



Flex Tube Mini



Flex Tube Spectrum G2

DIRECT VIEW



Flex Tube DW G2



Flex Tube Pixel Gz



XMT - 500



Pharos TPS 8



Pharos TPS 5



Terra Drum



Unity

FLOODLIGHTS



Flood One EO



Flood One EO Color



Dyna Drum HO Color G2



Dyna Drum HO White G2



Dyna Drum HO SCS G2



Dyna Drum SO Color G2



Dyna Drum SO White G2



Dyna Drum SO SCS G2



Dyna Drum EO Colour



Dyna Drum EO White



Dyna Drum EO SCS



Dyna Accent White



Dyna Accent Color



Dyna Accent Mini

FLEX TAPE




Aqua Drum HO



Aqua Drum SO



Flex Mini Channel



Flex 45 Degree Channel



Flex 120



Flex One HO Interior



Flex One HO Exterior



Flex One SO Interior



Flex One SO Exterior



Flex Spectrum Interior



Flex Spectrum Exterior


KINGSTON, ONTARIO CITY HALL




KINGSTON, ONTARIO CITY HALL




PIER WEST – NEW WESTMINSTER, BRITISH COLUMBIA




PIER WEST – NEW WESTMINSTER, BRITISH COLUMBIA



JOHN HEXTALL BRIDGE – CALGARY, ALBERTA



SHAKESPEARE ON THE SASKATCHEWAN – SASKATOON, SA



EDMONTON CITY HALL



EDMONTON CITY HALL



LIGHT UP YOUR PROJECT.



Contemporary outdoor LED luminaires, the Luuma series helps you to create a never-before-seen ambiance for your project.

Highly efficient optical system (IP66)

Optimized thermal management; lifespan of up to 100 000h

Energy savings of up to 70%

Ready for dimming control systems

Protective and vandal-resistant high-impact acrylic lenses


Multiple configurations

Marine-grade finish




LIGHT UP YOUR PROJECT

POST-TOP



PENDANT



BOLLARDS



SIDEMOUNT





MODULAR COLUMNS



ARCA



DISCERA





MISTELLA




ASTRO



OLIVIO LED






THE LINE



Self-cleaning through rainwater – following nature's example

Everything that doesn't work or is unnecessary is filtered out by nature. Following this maxim, Aya's farm emerged from its function – with minimal use of materials in order to conserve resources. The silhouette seamlessly integrates into urban and natural spaces thanks to its soft contours. The organic form of Aya allows rainwater to float across the entire luminaire housing, from top to bottom. This not only helps clean the luminaire but also improves the maintenance efficiency.





CATENARY





EXTERIOR | Get new ideas for illuminating building facades, bridges, walkways, awnings, and signs in this collection.



ECHO ROUND 3.5 EXTERIOR



LYON



STYK EXTERIOR WALL



STYK




ECHO SHAPES 9.0



ECHO EFFECT



ECHO EFFECT



ECHO EFFECT



STYK



HARBOR EXTERIOR



STYK



ECHO VELOCITY 3.5




ECHO PERFORMANCE COVE 6.0



LYON



STYK



ECHO ROUND 3.5

FLOODS



C365 Slice



C125 Integral



C165 Integral



C210 Integral



C210 Integral GOBO



C260 Integral

POST TOPS



FA770 New



FA



IR



F-System



DA



GO



SPORT LIGHTING




R-System R1 round



R-System gen4



Rival



BOLLARDS



FA



EL



if



*if*round-BD



LB21




LB22





BOLLARDS



MiniTondo Dark Wood



MiniQuadro Dark Wood



Compatto P Wood



Rettangolo Wood



Verso Flat P



Bivio P



Bivio F



Elmo


WALL EFFECT | WALKWAYS




Verso Flat RD



Verso Flat SQ



Spla Flat



Spla Flat Eyelid

WALL RECESSED



Edge AS



Edge AS V



Passo



Passo Inox

ARCHITECTURAL AND COMMERCIAL

BOLLARDS



Arch Bollard I-Beam



Arch Bollard Round



Arch Bollard Square



Arch Wall Square



Blade



**Bracket Spot Light
High Power**



**Bracket Spot Light
High Power RGBW**



**Cast Solid Bronze
Lawn Light**




**Pole Spot High
Power RGBW**



**Pond Light
High Power**



**Pool Light
High Power**



SafeTouch 100




**Liquid Beam Ultra 35
Wall Spot
- Tunable White**



**Pillar Light
High Power**



**Pillar Light High
Power RGBW**



Pole Spot High Power



Ultra 50 Pole Bracket



Ultra 50 Pole Spot



**Ultra 50 Wall
Down Light**



Ultra 50 Wall Spot

OUTDOOR

BOLLARDS



SERA 4R Up & Down Wall
Outdoor wall sconce



SERA 6R Down Wall
Outdoor wall sconce



SERA 6R Up & Down Wall
Outdoor wall sconce



SERA 6R Surface
Outdoor surface mount



SERA 4Q Down Wall
Outdoor wall sconce



SERA 4Q Up & Down Wall
Outdoor wall sconce



SERA 6Q Down Wall
Outdoor wall sconce



SERA 6Q Up & Down Wall
Outdoor wall sconce

Skyline Zoom Down & Spot

Zoom Spot for Skyline

- 1" Outdoor Zoom Down & Spot for Skyline
- (SW) Standard White
- 780 Delivered Lumens
- 10°-60° Dynamic Zoom



Cobra Flex Outdoor

Outdoor Flexible Cove Light

- Outdoor Flexible Cove Light
- IP66 Rated
- 1300 Delivered Lumens per foot
- Lengths of 3" to 45"



THETA | HANDRAIL
THETA750
SNAP


alphabet



LINEAR LIGHTING | STRIP SERIES

High Power, RGB Outdoor

Great for enhancing outdoor spaces with a dynamic look. Suitable for hospitality, retail and commercial environments.



Applications

- Aisle and stairway lighting
- Cabinet and cove lighting
- Back lighting
- Showcase lighting
- Linear decorative lighting

High Power Outdoor

Exterior rated suitable for those commercial, retail and hospitality applications requiring higher illumination.



Applications

- Aisle and stairway lighting
- Cabinet and cove lighting
- Back lighting
- Showcase lighting
- Linear decorative lighting

High Power eStrip

The High Power LED eStrip is an advanced version that delivers twice the lumen output compared to the standard eSTRIP, enhancing illumination capabilities.



Applications

- Building outlines
- Coves
- Stairway and aisle lighting
- Signage
- Backlit panels
- Decks
- Edgelit glow
- Emergency lighting
- Pathway lighting
- Billboards
- Highlighting architectural features
- Over/Under cabinets

RGB eStrip

The RGB eSTRIP, featuring RGB LEDs, enables the creation of dramatic colour change effects, suitable for building outlines and architectural highlights.




Applications

- Building outlines
- Coves
- Stairway and aisle lighting
- Signage
- Backlit panels
- Decks
- Edgelit glow
- Emergency lighting
- Pathway lighting
- Billboards
- Highlighting architectural features
- Over/Under cabinets

Neon Flex

LED Neon Flex is a flexible lighting solution designed to accentuate architectural and design elements, adding colour and vibrancy to building exteriors.



Applications

- Building outlines
- Stairway and aisle lighting
- Signs
- Decks
- Pathway lighting
- Billboards
- Highlighting architectural features

24V Wall Washer

The 24V LED Wall Washer is engineered for illuminating architectural features, signage, and landscapes with its advanced lighting capabilities. It provides a versatile solution for both indoor and outdoor spaces, combining functionality with aesthetic enhancement.



Applications

- Architectural lighting
- Signage
- Landscape lighting
- Exterior/interior commercial

Wall Washer 4' Enclosed

This a type of lighting fixture designed to evenly distribute light over a wall or vertical surface. Enclosed within a 4-foot-long casing, this wall washer is designed for durability and protection against dust, moisture, and other environmental factors.



Applications

- Architectural lighting
- Signage
- Landscape lighting
- Exterior/interior commercial

LANDSCAPE LIGHTING SYSTEMS



AREA



AL06LEDP



AL08



DIRECTIONAL



DL15SM



DL17



FLOODLIGHTS



LFL01LEDP



LFL01LEDP12/LED24



PATH



PL22



PL23 / DM



FLAG POLE



FAPM73
(Flag Pole Light)

TREE-RINGS



FA-TR










GS Lighting Group

A division of Gross Sales Ltd. **30+** YEARS



Showroom Lighting Center:
 26 Glebe Street, Cambridge, Ontario, N1S 2P1
 Open: Monday – Friday 9:00 a.m. to 5:00 p.m.

Tel: 519-267-6262
 Email: sales@gsightinggroup.ca
 Website: www.gsightinggroup.ca



Book a design meeting, lighting audit or lighting seminar today!