









































































# EXTERIOR LIGHTING

## DESIGN GUIDE

- Site & Area Lighting
- Architectural Parks & Rec Post Tops
- Exterior Decorative & Linear
- Sport Lighting
- Bollards
- Ingrade
- Transit
- Floods
- Landscape

# LINE CARD

## Brands By Current

<b>Current</b>  CONTROL SOLUTIONS	Wireless control solutions for any application. <a href="http://led.com/controls-sensors">led.com/controls-sensors</a>	  
<b>Current</b>  FIXTURES & CONTROLS	A broad portfolio of commercial indoor and outdoor lighting and controls. <a href="http://led.com">led.com</a>	  
<b>Current</b>  LAMPS & BALLAST	LED and traditional lamp and ballast replacements. <a href="http://led.com/brands/lamps">led.com/brands/lamps</a>	  
	Architectural outdoor lighting systems. <a href="http://currentlighting.com/aal">currentlighting.com/aal</a>	  
	An innovative line of industrial grade LED lighting luminaires. <a href="http://led.com/brands/albeo">led.com/brands/albeo</a>	  
	Specification grade outdoor LED products. <a href="http://currentlighting.com/beacon">currentlighting.com/beacon</a>	  
<b>Columbia</b> LIGHTING	Specification and commercial grade industrial luminaires. <a href="http://currentlighting.com/columbialighting">currentlighting.com/columbialighting</a>	  
<b>E V O L V E</b>	Market leading area, roadway, garage and flood for exterior environments. <a href="http://led.com/brands/evolve">led.com/brands/evolve</a>	  
 OUTDOOR LIGHTING	Innovative and practical outdoor lighting solutions. <a href="http://currentlighting.com/exo">currentlighting.com/exo</a>	  
	Specification grade, customizable architectural linear lighting systems. <a href="http://forumlighting.com">forumlighting.com</a>	  
<b>immersi on</b>	LED refrigerated display fixtures. <a href="http://led.com/brands/immersion-led-display-lighting">led.com/brands/immersion-led-display-lighting</a>	  
<b>KIM</b> LIGHTING	High-performance decorative outdoor architectural lighting products. <a href="http://currentlighting.com/kimlighting">currentlighting.com/kimlighting</a>	  
<b>kurt versen</b> 	Trendy and alluring, high quality and innovative designer lighting products. <a href="http://currentlighting.com/kurtversen">currentlighting.com/kurtversen</a>	  
 Lighting for Complex Spaces	Complete healthcare environment lighting applications. <a href="http://currentlighting.com/lifeshield">currentlighting.com/lifeshield</a>	  
<b>LITECONTROL</b> making light work™	Interior and exterior commercial linear LED lighting. <a href="http://currentlighting.com/litecontrol">currentlighting.com/litecontrol</a>	  
	Commercial and specification-grade LED luminaires. <a href="http://led.com/brands/lumination">led.com/brands/lumination</a>	  
	Architectural, commercial and essential downlighting product tiers. <a href="http://currentlighting.com/prescolite">currentlighting.com/prescolite</a>	  
	Channel letter, cabinet sign and border lighting. <a href="http://led.com/brands/tetra-led-system">led.com/brands/tetra-led-system</a>	  
<b>SpectraSync</b> ™	Color temperature tuning technology for lighting control of indoor spaces. <a href="http://currentlighting.com/spectrasync">currentlighting.com/spectrasync</a>	  

## WHITEWAY

Provides all inclusive packages for the convenience store and petroleum markets.  
[currentlighting.com/whiteway](http://currentlighting.com/whiteway)



Specializes in lighting solutions for the QSR, hospitality and petroleum industry.  
[currentlighting.com/security-lighting](http://currentlighting.com/security-lighting)

## Current GLI Controls



Easy integration into indoor, outdoor and high bay environments.  
[led.com/controls-sensors/daintree-wireless-controls](http://led.com/controls-sensors/daintree-wireless-controls)

## LIGHT GRID

Specifically designed for roadway, street and commercial property applications.  
[led.com/controls-sensors/lightgridplus](http://led.com/controls-sensors/lightgridplus)

## LIGHT SWEEP

Modular indoor lighting control solution is scalable and highly flexible.  
[led.com/controls-sensors/lightswEEP-control-panel](http://led.com/controls-sensors/lightswEEP-control-panel)

## Current HLI Controls



Interior and exterior lighting control solutions for single room to multi-location properties.  
[currentlighting.com/nx-lighting-controls](http://currentlighting.com/nx-lighting-controls)

## Brands By ABB



Emergency lighting and exit signs for the specification markets.  
[tnb.ca/en/brands/emergi-lite](http://tnb.ca/en/brands/emergi-lite)



Hazardous and adverse applications for indoor and outdoor lighting.  
[tnb.ca/en/brands/haxlux](http://tnb.ca/en/brands/haxlux)

## Independent Brands



Prestigious architectural interior and exterior lighting and controls, and urban lighting.  
[acclaimlighting.com](http://acclaimlighting.com)



Award winning commercial and architectural specification grade lighting and solutions.  
[alphabetlighting.com](http://alphabetlighting.com)



Canadian based state-of-the-art healthcare lighting solutions and medical products.  
[amico.com](http://amico.com)



Canadian manufacturer of the highest quality contemporary indoor lighting.  
[arancialighting.com](http://arancialighting.com)



Hospitality, multi-family, long-term care and residential lighting.  
[arkansaslighting.com](http://arkansaslighting.com)













































































































































Manufacturer and distributor of contemporary to traditional lighting fixtures.  
[bethelin.com](http://bethelin.com)



Manufacturer of circadian lighting solutions that helps human and plant life naturally thrive.  
[bioslighting.com](http://bioslighting.com)



Manufacturer of affordable, feature-rich lighting fixtures, controls and automation.  
[blu-ecosystem.com](http://blu-ecosystem.com)

<b>BOCCI</b>	Canadian manufacturer and design of creative sculptural lighting. <a href="http://bocci.com">bocci.com</a>	   
<b>BOLD</b>	Canadian manufacturer of high quality, unique, modern, and efficient landscape lighting. <a href="http://boldpros.com">boldpros.com</a>	   
<b>bruck</b>	Award winning commercial and architectural specification grade lighting and solutions. <a href="http://brucklighting.com">brucklighting.com</a>	   
<b>BubblyNet</b>	Bluetooth Mesh qualified devices and components for wireless smart building spaces. <a href="http://bubblynet.com">bubblynet.com</a>	   
<b>CASTALDI</b>	A world renowned manufacturer of outdoor, indoor and specialized application lighting. <a href="http://castaldilighting.me.uk/">castaldilighting.me.uk/</a>	   
<b>CHRISTIE LITES</b>	Canadian supplier of stage lighting services and technical expertise. <a href="http://christielites.com">christielites.com</a>	   
<b>DARK</b>	Manufacturer of contemporary indoor decorative lighting. <a href="http://dark.be">dark.be</a>	   
<b>EUROfase INC.</b>	A diverse selection of quality commercial, industrial and decorative lighting. <a href="http://eurofase.com">eurofase.com</a>	   
<b>ewo</b>	Manufacturer of high-end exterior lighting systems for public spaces. <a href="http://ewo.com">ewo.com</a>	   
<b>FOCUS INDUSTRIES</b>	Manufacturer of LED, landscape, architectural, hospitality, entertainment and custom lighting. <a href="http://focusindustries.com">focusindustries.com</a>	   
<b>FERRO</b>	Manufacturer of minimalistic indoor and outdoor lighting with Dutch design & craftsmanship. <a href="http://ferrolightdesign.com">ferrolightdesign.com</a>	   
<b>GHIDINI</b>	Exterior architectural lighting fixtures with contemporary and functional designs. <a href="http://ghidini.it/en/home">ghidini.it/en/home</a>	   
<b>GM Lighting</b>	Undercabinet, accent and LED linear lighting for commercial and residential applications. <a href="http://gmlighting.net">gmlighting.net</a>	   
<b>HINKLEY LIGHTING</b>	Manufacturer of interior and exterior residential lighting and ceiling fans. <a href="http://hinkleylighting.com">hinkleylighting.com</a>	   
<b>HUNZA CANADA</b> Pure Outdoor Lighting	Commercial and residential high quality low voltage landscape lighting. <a href="http://hunzalighting.com">hunzalighting.com</a>	   
<b>ILFARI</b>	Artistic high-end range of decorative lighting. <a href="http://ilfari.com">ilfari.com</a>	   
<b>LARK</b>	Classic, transitional, modern and mid-century modern, interior and exterior residential lighting. <a href="http://larkliving.com">larkliving.com</a>	   
<b>J2 LIGHT</b>	Innovative fixture designs and an affordable Bluetooth network lighting control system. <a href="http://www.j2light.com">www.j2light.com</a>	   
<b>LightTape</b>	Manufacturer of the longest, thinnest and most durable electroluminescent light in the world. <a href="http://lighttape.com">lighttape.com</a>	   
<b>LUCITALIA</b> — M I L A N O —	Interior lighting fixtures with contemporary and functional designs. <a href="http://ghidini.it/en/catalog/lucitalia">ghidini.it/en/catalog/lucitalia</a>	   
<b>Lumca</b> LIGHTING LIFE	Canadian made architectural outdoor lighting for municipalities and commercial sites. <a href="http://lumca.com">lumca.com</a>	
<b>LUMEN WARM</b>	Canadian manufacturer of specification grade interior LED architectural lighting. <a href="http://lumenwarm.com/en/">lumenwarm.com/en/</a>	   
<b>Luminart®</b>	Innovative architectural lighting solutions for both interior and exterior environments. <a href="http://luminartlighting.com">luminartlighting.com</a>	   
<b>LuxR</b> LED BY DESIGN	Residential high quality low voltage landscape lighting. <a href="http://luxrled.com">luxrled.com</a>	   
<b>MAGIC LITE</b>	Top-quality architectural and specialty lighting products for the Canadian market. <a href="https://magiclite.com/">https://magiclite.com/</a>	   
<b>Metalumen</b> Ideas brought to light	Canadian made linear lighting for education, healthcare, commercial & transportation. <a href="http://metalumen.com">metalumen.com</a>	   
<b>MODERN FORMS</b>	WAC division of high-end LED designs for wall and pendant luminaires, and ceiling fans. <a href="http://modernforms.com">modernforms.com</a>	   
<b>New Star</b>	High abuse, vandal resistant, custom architectural, cleanroom and healthcare lighting. <a href="http://newstarlighting.com">newstarlighting.com</a>	   
<b>PEERLESS</b> electric-électrique	Canadian lighting manufacturer for architectural, commercial, industrial and health care. <a href="http://peerless-electric.com">peerless-electric.com</a>	   
<b>PRIMA LIGHTING</b>	Decorative track lighting and pendant systems, recessed, display and wall sconce luminaires. <a href="http://primalighting.com">primalighting.com</a>	   
<b>PROGRESS LIGHTING</b>	A leading North American manufacturer of residential lighting and ceiling fans. <a href="http://hubbell.com/progresslighting/en">hubbell.com/progresslighting/en</a>	   
<b>REFRESH</b> Fans inc.	High volume low speed fans for commercial, industrial and agricultural applications. <a href="http://refreshfans.com">refreshfans.com</a>	   
	Quality interior and exterior lighting of the latest fibre optics and LED technologies. <a href="http://saas.fi/en/">saas.fi/en/</a>	   
<b>selux</b>	Manufacturer of advanced, energy-efficient, interior and exterior luminaires. <a href="http://selux.us/usa/en">selux.us/usa/en</a>	   
<b>SPI LIGHTING</b>	A leader in architectural and performance luminaires for interior and exterior applications. <a href="http://spilighting.com">spilighting.com</a>	   
<b>SPINA'S STEEL WORKERS CO., LTD.</b>	Specializing in lighting poles for commercial, industrial, residential, traffic applications. <a href="http://spinasteel.com">spinasteel.com</a>	   
<b>TLS</b> Architectural Lighting	The most versatile surface lighting technology, with endless design possibilities. <a href="http://tls-led.com">tls-led.com</a>	   
<b>USI</b> UTILITY STRUCTURES	Spun concrete poles and bollards. <a href="http://utilitystructures.com">utilitystructures.com</a>	
<b>valmont</b>	Architectural wooden and metal poles. <a href="http://valmont.com">valmont.com</a>	
<b>Vesoi</b>	Manufacturer of interior modern-classic lighting and accessories. <a href="http://vesoi.com/en">vesoi.com/en</a>	
<b>WAC LIGHTING</b> Responsible Lighting	Interior and exterior architectural, decorative, landscape lighting and ceiling fans. <a href="http://wacighting.com">wacighting.com</a>	
<b>ZANIBONI LIGHTING</b>	High quality interior architectural lighting systems. <a href="http://zanibonilighting.com">zanibonilighting.com</a>	

# RATIO FAMILY



Beacon Lighting provides comprehensive and coordinated solutions for a variety of exterior applications. A full line of luminaires are available with complementing shapes and styles that proportionally scale and add balance to the outdoor environment.

Quality construction and industry leading performance complete the package. Control options featuring photocontrols, occupancy controls and NX Distributed Intelligence™ enable optimum energy savings and customization.

AREA/SITE



Flood





Wall



Bollard



## SINGLE CONFIGURATIONS



# RATIO

Controls in every applications save energy, extend luminaire life and allow customizable solutions. Scalable control solutions are available cross the entire Ratio family

## STANDALONE CONTROLS FUNCTIONALITY


### Occupancy Sensor

- Individual fixture control
- Dims product when space is not occupied



### Photocontrol

- Individual fixture control
- Turns fixture on when sun sets



## INTEGRATED CONTROLS



NX Distributed Intelligence™ platform delivers a lighting control solution capable of seamlessly connecting exterior and interior applications.

- Standalone or networked fixture control
- Astronomical time schedules
- BACnet building networking
- Connects with indoor wired, wireless or hybrid networks
- Wireless setup via app
- Occupancy Sensor option dims product when space is not occupied



### 7-Pin Receptacle

- Compatible with 3-pin, 5-pin or 7-pin photocontrols
- Turns fixture on when sun sets, off when sun rises
- Wireless networked solution
- For use with a variety of control platforms

\*Additional accessories required



# VIPER FAMILY



## VERSATILITY

### DESIGN

The new Viper includes scalable Area and Flood designs capable of complementing contemporary or traditional architecture. Additional features such as multiple mounting options, replaceable power doors and an IP65 rating are standard offerings in this exceptionally versatile fixture.

### PERFORMANCE

Each product is available with a variety of lumen outputs and distributions to satisfy a wide range of applications. Viper's scalability allows us to customize the output to meet specific design criteria. The precise beam control of the Viper helps reduce energy consumption and light trespass while providing high uniformity and visual acuity.

### TECHNOLOGY

Simple or dynamic controls are available in every product configuration to give solutions for ever-changing code requirements and additional energy savings



## PERFORMANCE

### VISUAL COMFORT

The Viper's unique optical design combines visual uniformity with the precise distribution of a Total Internal Reflection (TIR) optic. Five times the luminous surface area provides optimal light distribution plus visual comfort.

### BACKLIGHT CONTROL

Less than 12% of the light emitted out of Micro Strike and Strike is thrown behind the pole, meaning 88% is utilized on application. That inherently means less energy is wasted on light that is not being used. For even greater backlight control, additional backlight control shields can be used to limit spill down to 5%.

### IES comparison

The Viper Wall is available with three distinct distribution patterns to illuminate a variety of applications. Featuring Micro Strike Optics which maximizes target zone illumination with minimal losses at the house-side, reducing light trespass. In the illustration below, the Viper Wall luminaires illuminate the building perimeter and contribute substantial illumination to the parking area and drive lanes adjacent to the building.

### AREA MICRO STRIKE OPTICS

Micro Strike optics are one of the optical choices available in the Viper. These optics have been specifically designed to replace HID luminaires with improved uniformity on application. This, combined with the high lumens per watt, makes Micro Strike the perfect choice for the most common applications.

### AREA STRIKE OPTICS


Strike optics are another optic choice that allow for maximized pole spacing, minimal backlight and provide specialty distributions for unique application requirements.

#### Benefits

- Key distributions for every day applications
- High efficacy and lumens per watt
- Single piece optic provides more visual comfort
- Phosphor converted amber LED option
- Field rotatable for flexibility in mounting orientations
- Backlight control available to reduce light behind the pole

#### Benefits

- Specialty Distributions for unique applications or specification requirements
- Maximum Fixture Spacing
- Individual optics provide greater optical control
- True amber LED option
- Field rotatable for flexibility in mounting orientations
- Backlight control available to reduce light behind the pole



## DECORATIVE & POST TOPS



BEACON Brighton



BEACON La Jolla



BEACON LCS



BEACON London



BEACON Mediterranean



BEACON Metropolis




BEACON Monaco



BEACON Traditional



BEACON Urban Micro  
Strike




BEACON Urban Strike  
Optic




BEACON Windsor

# FLOODLIGHT SOLUTIONS



**BEACON RFL2 Ratio  
Floodlight**  
**Category:**  
Flood  
**Lumen Range:**  
3,100-3,200 lm



**BEACON RFL3 Ratio  
Floodlight**  
**Category:**  
Flood  
**Lumen Range:**  
4,800-6,800 lm



**BEACON RFL4 Ratio  
Floodlight**  
**Category:**  
Flood  
**Lumen Range:**  
12,000-14,500 lm



**BEACON RFL5 Ratio  
Floodlight**  
**Category:**  
Flood  
**Lumen Range:**  
15,000-30,000 lm



**BEACON Viper  
Flood Size 1**  
**Category:**  
Flood, Sports Lighting  
**Lumen Range:**  
5,500-18,000 lm



**BEACON Viper  
Flood Size 2**  
**Category:**  
Flood, Sports Lighting  
**Lumen Range:**  
18,00-33,000 lm



**BEACON Viper  
Flood Size 3**  
**Category:**  
Flood, Sports Lighting  
**Lumen Range:**  
36,00-44,000 lm



**BEACON Viper  
Flood Size 4**  
**Category:**  
Flood, Sports Lighting  
**Lumen Range:**  
48,00-60,000 lm

**Current**

# SPORT FIELD LIGHTING



## TURF

SPORTS LIGHTER




**Standard yoke mounting** with single 3/4" bolt. Yoke also includes vertical aiming indicators, adjustable in 5 degree increments. Fixture is 3G vibration rated.


**Lumen outputs up to 114,000 lumens** and 153 LPW give superior performance to legacy products and provide additional energy savings.

**Visor and Laser aiming** accessories available and can be field installed.

### Retrofit Solution



The Turf Sports Lighter is designed to replace 1500W HID products 1 for 1 and even has the capability of reducing fixture count which can result in more than 54% energy savings. This doesn't include additional savings from reduction in maintenance costs and sustained lighting levels. Upgrading your sports lighting has never been so easy!




Designed to efficiently light recreational, collegiate, and professional events. Arena, sign, facade, area, accent, parking lot and general security lighting applications can also utilize the Turf Sports Lighter.



### 1000w-1500w HID to LED LAMP RETROFIT



### Ballfield Benefits from an LED Lamp Upgrade GE lamps high output BT56 Case Study



Before:  
1500W  
Metal Halide  
Lamps

After:  
Current  
HO BT56 LED  
Lamps

Outstanding  
Uniformity  
from LED  
Retrofit

Current

## CEILING, CANOPY & GARAGE



### BEACON Ceileo

**Category:**


Canopy & Garage

**Lumen Range:**

3,200-6,200 lm

**Wattage Range:**

25 - 50 W



### BEACON Drive SRT1

**Category:**

Canopy & Garage

**Lumen Range:**

2,000-6,800 lm

**Wattage Range:**

20 - 49 W



### BEACON Drive SRT2

**Category:**

Canopy & Garage

**Lumen Range:**

4,000-16,000 lm

**Wattage Range:**

31 - 150 W



### BEACON Endura

**Category:**

Canopy & Garage

**Lumen Range:**

3,000-13,000 lm



### BEACON GSY - Galasy II

**Category:**

Canopy & Garage

**Wattage Range:**

55 - 140 W



### BEACON LSQ - Lumasquare® Series

**Category:**

Canopy & Garage



### BEACON VSH-Vanish

**Category:**

Canopy & Garage

**Lumen Range:**

4,400-20,200 lm

**Wattage Range:**

55 - 140 W

**Current**

See <https://www.currentlighting.com/> for the full collection | 8

## WALL MOUNT



### BEACON TRP2 Geo Pak

**Category:**  
Wall Mount  
**Lumen Range:**  
3,200-11,000 lm



### BEACON VPW1 Viper Wall

**Category:**  
Wall Mount  
**Lumen Range:**  
1,000 – 3,000 lm



### BEACON VPW2 Viper Wall

**Category:**  
Wall Mount  
**Lumen Range:**  
2,000 – 8,500 lm



### BEACON VPW3 Viper Wall

**Category:**  
Wall Mount  
**Lumen Range:**  
7,000 – 20,000 lm



### BEACON RWL1 Ratio

**Category:**  
Wall Mount  
**Lumen Range:**  
1,300 – 5,800 lm



### BEACON RWL2 Ratio

**Category:**  
Wall Mount  
**Lumen Range:**  
6,400 – 20,000 lm



### BEACON Traverse

**Category:**  
Wall Mount  
**Lumen Range:**  
3,300 – 17,000 lm



### BEACON TRP1 GeoPak

**Category:**  
Wall Mount  
**Lumen Range:**  
1,700 – 2,800 lm



### BEACON QSP1 GeoPak

**Category:**  
Wall Mount  
**Lumen Range:**  
1,700 – 2,800 lm



### BEACON QSP2 GeoPak

**Category:**  
Wall Mount  
**Lumen Range:**  
3,200 – 11,000 lm



### BEACON RDI1 GeoPak

**Category:**  
Wall Mount  
**Lumen Range:**  
1,700 – 2,800 lm




### BEACON RDI2 GeoPak

**Category:**  
Wall Mount  
**Lumen Range:**  
3,200 – 11,000 lm

## STANDALONE CONTROLS FUNCTIONALITY


### Occupancy Sensor

- Individual fixture control
- Dims product when space is not occupied



### Photocontrol

- Individual fixture control
- Turns fixture on when sun sets



## INTEGRATED CONTROLS



NX Lighting Controls platform delivers a lighting control solution capable of seamlessly connecting exterior and interior applications.


- Standalone or networked fixture control
- Astronomical time schedules
- BACnet building networking
- Connects with indoor wired, wireless or hybrid networks
- Wireless setup via app
- Occupancy Sensor option dims product when space is not occupied



### 7-Pin Receptacle

- Compatible with 3-pin, 5-pin or 7-pin photocontrols
- Turns fixture on when sun sets, off when sun rises
- Wireless networked solution
- For use with a variety of control platforms

\*Additional accessories required



**Current**



**KIM LIGHTING**  
**Ouro Edge-Lit Post Top**

**Category:**  
Area, Site & Roadway,  
Decorative & Post Top  
**Lumen Range:**  
2,958 – 15,227 lm



**KIM LIGHTING**  
**Ouro Edge-Lit Solo Arm**

**Category:**  
Area, Site & Roadway,  
Decorative & Post Top  
**Lumen Range:**  
2,958 – 15,227 lm



**KIM LIGHTING**  
**Ouro Post Top**

**Category:**  
Area, Site & Roadway,  
Decorative & Post Top



**KIM LIGHTING**  
**Ouro Solo Arm**

**Category:**  
Area, Site & Roadway,  
Decorative & Post Top



**KIM LIGHTING**  
**Ouro Arm Mount**

**Category:**  
Area, Site & Roadway,  
Wall Mount



**KIM LIGHTING**  
**Ouro Edge-Lit Arm Mount**

**Category:**  
Area, Site & Roadway,  
Wall Mount  
**Lumen Range:**  
3,105 -16,091 lm



**KIM LIGHTING**  
**Solitaire**

**Category:**  
Decorative & Post Top  
**Lumen Range:**  
3,155 -15,616 lm



**KIM LIGHTING**  
**Era® RA**

**Category:**  
Decorative & Post Top  
**Lumen Range:**  
2,220 – 20,195 lm



**KIM LIGHTING**  
**The Archetype®**

**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
2,714 – 20,338 lm



**KIM LIGHTING**  
**The Entablature®**

**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
2,496 – 11,138 lm



**KIM LIGHTING**  
**Warp9®**

**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
1,783 – 14,924 lm



**KIM LIGHTING**  
**Curvilinear Cutoff**



**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
1,286 – 24,572 lm



**KIM LIGHTING**



**Altitude®**

**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
5,001 – 50,000 lm





EPA  
Side View Front View  
.64 .37

Weight  
21.5 lbs.  
9.75 kg




EPA  
Side View Front View  
.85 .44

Weight  
34.6 lbs.  
15.69 kg



EPA  
Side View Front View  
.98 .50

Weight  
46.2 lbs.  
20.95 kg



Size 3  
No Lens | Up to 135 lumens/watt  
168L-305 40,000 lm  
168L-350 45,000 lm  
168L-385 50,000 lm



Size 2  
No Lens | Up to 139 lumens/watt  
100L-160 20,000 lm  
100L-200 25,000 lm  
100L-240 30,000 lm  
100L-285 35,000 lm



Size 1  
No Lens | Up to 148 lumens/watt  
28L-20 3,000 lm  
28L-40 5,000 lm  
28L-60 7,500 lm  
28L-85 10,000 lm  
56L-95 12,500 lm  
56L-120 15,000 lm  
56L-155 17,500 lm



**KIM LIGHTING**

**Bounce®**

**Category:**  
Decorative & Post Top  
**Lumen Range:**  
1,780 – 9,264 lm



**KIM LIGHTING**

**Era® Acorn AE**

**Category:**  
Decorative & Post Top  
**Lumen Range:**  
2,501 – 30,000 lm



**KIM LIGHTING**

**Era® Bell BE**

**Category:**  
Decorative & Post Top  
**Lumen Range:**  
2,501 – 30,000 lm



**KIM LIGHTING**

**Era® Lantern LE**

**Category:**  
Decorative & Post Top  
**Lumen Range:**  
1 – 5,000 lm





## KIM LIGHTING PGL8

**Category:**  
Wall Mount, Canopy & Garage  
**Lumen Range:**  
4,189 – 13,860 lm  
**Wattage Range:**  
50 – 150 lm



## KIM LIGHTING Prevent Round

**Category:**  
Wall Mount, Canopy & Garage  
**Lumen Range:**  
1,260 – 7,430 lm







## EXTERIOR LINEAR

**KIMLIGHTING**

# PURSUIT™

SUREFACE | PENDANT | RECESSED

LINEAR WITHOUT LIMITATION



**Current**

See <https://www.currentlighting.com/> for the full collection | 13

## FLOODLIGHTING

**KIM LIGHTING**



**KIM LIGHTING**  
**KFL RGBW**  
**Architectural Floodlights**

Category:  
Flood



**KIM LIGHTING**  
**KFL Static White**  
**Architectural Floodlights**

Category:  
Flood  
Lumen Range:  
1,839 – 21,710 lm



**KIM LIGHTING**  
**Intent RGBW**  
**Architectural Floodlights**

Category:  
Flood  
Lumen Range:  
657 – 3,271 lm




**KIM LIGHTING**  
**Intent Static White**  
**Architectural Floodlights**

Category:  
Flood  
Lumen Range:  
2,803 – 15,162 lm

SPOT  
lighting




COLUMN  
lighting




SIGN



TREE  
landscape



BRIDGES



**Current** 

See <https://www.currentlighting.com/> for the full collection | 14

## WALL MOUNT

**KIM LIGHTING**



**KIM LIGHTING**  
**Director® 2.0**  
Category:  
Wall Mount  
Lumen Range:  
2,500 – 16,000 lm



### CANOPY LIGHTING

Ideal for lighting canopies, the Wall Director's -5° to +10° of adjustable tilt optimizes lighting effects.

### WALL DIRECTOR

The next generation Wall Director is the evolution of the Kim Classic. The timeless design has been refined to a smaller profile luminaire while being true to the simple flowing lines and architectural shape. Wall Director offers high performance IES distributions, high comfort diffused lens option, integral controls, and battery backup.





**KIM LIGHTING**  
**Site Wallforms®**  
Category:  
Wall Mount  
Lumen Range:  
1 – 2,500 lm



SW1/36L5KUV/DB




SW3/36L5KUV/SG



**KIM LIGHTING**  
**Cypher-Rounded Edge**  
Category:  
Wall Mount  
Lumen Range:  
1,300 – 5,000 lm



**KIM LIGHTING Cypher-**  
**Triangle/Wedge**  
Category:  
Wall Mount  
Lumen Range:  
1,300 – 5,000 lm




**KIM LIGHTING**  
**Cypher-Circle/Curved**  
Category:  
Wall Mount  
Lumen Range:  
1,300 – 5,000 lm



**KIM LIGHTING Cypher-**  
**Cylinder Balanced/Tall**  
Category:  
Wall Mount  
Lumen Range:  
1,300 – 5,000 lm



**KIM LIGHTING**  
**Cypher-Flat**  
Category:  
Wall Mount  
Lumen Range:  
1,300 – 5,000 lm



**KIM LIGHTING**  
**Cypher-Ghost**  
Category:  
Wall Mount  
Lumen Range:  
1,300 – 5,000 lm



**Current**



**KIM LIGHTING**  
**In-Grade Minivault**

**Category:**  
In Grade



**KIM LIGHTING Lightvault®**  
**8 Directional Marker**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 Eyeball**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 Flat Frame**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 5,000 lm



**KIM LIGHTING Lightvault®**  
**8 Half Shield**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 5,000 lm



**KIM LIGHTING Lightvault®**  
**8 RGBW Eyeball**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 RGBW Flat Frame**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 RGBW Half Shield**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 RGBW Rock Guard**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 RGBW Stainless Steel**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm




**KIM LIGHTING Lightvault®**  
**8 Rock Guard**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Lightvault®**  
**8 Stainless Steel**

**Category:**  
In Grade  
**Lumen Range:**  
1 – 5,000 lm





**Protection for Infrastructure**  
Impact bollards can be used to protect valuable infrastructure: electrical boxes, telephone switch boxes, water shut off valves, etc., keeping vehicles at safe distance. (Product above specified with RAL 1003 Signal Yellow)

## Lane Delineation for Cyclists

Marked bike lanes along the road are often not enough to keep cyclists safe. Impact bollards prevent motorists from crossing over into the bike lane while making a right turn or using them as parking lanes. Bollards used to delineate lanes requires drivers to sharing the roadway with cyclists and to stay in their own lanes.



## Design


### CONSIDERATIONS

#### Pedestrian Safety

Bollards can help guide traffic in congested areas such as parking lots to define traffic lanes and help the flow of traffic, demark entry and exit points, and provide protection to parking booths. A frequent application is using impact bollards in malls, shopping centers to prevent cars from jumping the curb to protect pedestrians foot traffic.

#### Traffic Barrier

Closely spaced lines of bollards can form a traffic barrier to separating vehicles from pedestrians, bicycles, wheelchairs, and strollers. Typical applications for parking lot entrance to a stores or malls, and at the intersection where streets have converted to outdoor malls or pedestrian walking ways.



#### IMPACT RATED

Pavilion can be configured with louvers, grilles or choice of a clear or a diffused vertical lenses for increased vertical illumination with no glare at normal viewing angles and are optimized to deliver class-leading efficacy.

## ENGINEERED EXCELLENCE



#### DECORATIVE PAVILION BOLLARD SLEEVE

**6.0" STEEL POST**  
Provides the strength to resist impact

**STRESS BRACKET**  
Centers the post in the hole allowing even distribution of concrete around the post.

**REBARCAGE**  
Reinforce the concrete

**THE PAVILION IMPACT BOLLARD** is being offered in two 44" models: non-illuminated (blind) or illuminated. The illuminated version offers all of the options available with the standard Pavilion: six distributions, seven optical options, crowned or flat top, optional RGBW color ring and control option. A matching 44" standard version is available to match the Impact bollard to blend seamlessly with the rest of the project.

**CRASH RATED VS. SECURITY**  
Kim's impact bollard systems are full-scale crash tested by an independent accredited test agency to meet ASTM F3016 and proven safety solutions for stopping a 5,000-lb passenger truck at 10, 20, or 30 mph. These should not be confused with "engineered solutions" where calculations or finite element analyses are performed to estimate the bollard's performance. Full documentation is available showing these bollards have been real-world, dynamically tested to meet the rigorous criteria of ASTM F3016 and will perform as specified.

#### THE IMPACT BOLLARD

meets the American Society for Testing and Materials (ASTM) S20 rated. The S20 rating from a nominal minimum test velocity of 20 mph with a permissible speed range of 19.0 to 27.4 mph for vehicles weighing up to 5000 pounds. This is the ideal solution for parking lots or walkway applications to protect pedestrians and property from errant vehicle traffic.



## DISTRIBUTIONS

**PAVILION** is an architectural solution for any project that would like to provide safety to pedestrians and Property without the high security look. It can be configured for a wide range of applications:

- pedestrian
- walkways, crosswalks, bike paths, parking
- garages and mall parking lots. Pavilion delivers 5 IES distribution types: I, II, III, IIII
- with house side shield, IV, V



**Current**



**ARCHITECTURAL AREA**  
**Lighting Flex®**



**ARCHITECTURAL AREA**  
**Lighting Kick™ Medium**



**ARCHITECTURAL AREA**  
**Lighting Kick™ Mini**



**ARCHITECTURAL AREA**  
**Lighting Kick™ Mini Small**



**ARCHITECTURAL AREA**  
**Lighting Kick™ Small**



**ARCHITECTURAL AREA**  
**Lighting Slide - Catenary**



**ARCHITECTURAL AREA**  
**Lighting Slide - Pendant**



**ARCHITECTURAL AREA**  
**Lighting Slide - Post Top**



**Current** 



**ARCHITECTURAL AREA  
Lighting Federal Globe  
Large**



**ARCHITECTURAL AREA  
Lighting Federal Globe  
Small**



**ARCHITECTURAL AREA  
Lighting Largent – SLVT2**



**ARCHITECTURAL AREA  
Lighting Parkway Square®  
Accent**



**ARCHITECTURAL AREA  
Lighting Parkway Square®  
Pedestrian**



**ARCHITECTURAL AREA  
Lighting Promenade  
– PRM22**



**ARCHITECTURAL AREA  
Lighting Promenade  
– PRM32**



**ARCHITECTURAL AREA  
Lighting Promenade  
– PRMD2**



**ARCHITECTURAL AREA  
Lighting Promenade  
- PRMN2**



**ARCHITECTURAL AREA  
Lighting Promenade  
- PRMS2**



**ARCHITECTURAL AREA  
Lighting Providence®  
Large – PROL2**



**ARCHITECTURAL AREA  
Lighting Providence®  
Large – PROV2**



**ARCHITECTURAL AREA  
Lighting Providence®  
Small**



**ARCHITECTURAL AREA  
Lighting Spectra  
Large**



**ARCHITECTURAL AREA  
Lighting Spectra  
Small**



**ARCHITECTURAL AREA  
Lighting Towne  
Commons® – ALN440**



**ARCHITECTURAL AREA  
Lighting Towne  
Commons® - ALN445**



**ARCHITECTURAL AREA  
Lighting Universe®  
Large – UCL2**




**ARCHITECTURAL AREA  
Lighting Universe®  
Medium – UCM2**



**ARCHITECTURAL AREA  
Lighting Universe®  
Small**

# LED BOLLARD COLLECTION



**architectural  
arealighting**



**ARCHITECTURAL AREA  
Lighting Kick™ Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**ARCHITECTURAL AREA  
Lighting Providence®**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**ARCHITECTURAL AREA  
Lighting Spectra Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**ARCHITECTURAL AREA  
Lighting Universe® Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**BEACON Fresno Bollards**

**Category:**  
Bollards  
**Lumen Range:**  
600 – 1,900 lm



**BEACON RBD  
Ratio Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 3,200 lm



**BEACON Viper Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
1,000 – 6,000 lm



**SLING BOLLARD – ROUND | SQUARE**




SGB-R-LSCS SGB-S-LSCS



**Current**

# LED BOLLARD COLLECTION

**KIMLIGHTING**




**KIM LIGHTING B30  
Traditional Bollards**

**Category:**  
Bollards




**KIM LIGHTING  
Bounce® Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING  
CB/VRB/VSB/B30  
LED KIT**

**Category:**  
Bollards, Retro Kits  
**Lumen Range:**  
2,501 – 5,000 lm



**KIM LIGHTING  
Compact Bollards**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Gem LED  
Replacement Kit**

**Category:**  
Bollards, Retrofit kits  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Gem®  
Performance Bollards**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING  
Mini Bounce**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING  
Impact Bollard**

**Category:**  
Bollards  
**Lumen Range:**  
397 – 2,350 lm



**KIM LIGHTING  
Pavilion Round**

**Category:**  
Bollards



**KIM LIGHTING  
Pavilion Square**

**Category:**  
Bollards



**KIM LIGHTING  
Lightforms**

**Category:**  
Bollards  
**Lumen Range:**  
1 – 2,500 lm



**KIM LIGHTING Vandal  
-Resistant Round Bollards**

**Category:**  
Bollards

**Current**

See <https://www.currentlighting.com/> for the full collection | 21

# SLING: AREA | SITE

## AREA & SITE



Size	Sling Area/Site (ASL1)	Sling Area/Site (ASL1)	Sling Area/Site (ASL2)
Lumens	3,000–6,000	9,000–18,000	21,000–36,000
Watts	25-50W	70–135W	145-255W
LPW	140	143	148
Mounting	Mast Arm, Wall	Mast Arm, Wall	Mast Arm, Wall
CCT	3K, 4K, 5K	3K, 4K, 5K	3K, 4K, 5K
Distributions	2, 3, 4F, 4W, 5QW	2, 3, 4F, 4W, 5QW	2, 3, 4F, 4W, 5QW
Surge Protection	20kA	20kA	20kA
Legacy Equivalence	100–175W	175–400W	400–1000W



## WALL MOUNT | versatile design and control

4" junction box with easy install mounting plate

Four 1/2" threaded hubs for surface conduit wiring

Standard clear lens and optional comfort lens accessory



Rugged die-cast housing features isolation of LED driver from light engine and heat dissipating vents for maximum LED life and performance



## FLOODLIGHTING



## BOLLARDS



## CEILING | GARAGE | CANOPY



**Current**

## SLING: AREA | SITE

### AREA & SITE



#### EXO SG Sling Wall

**Category:**  
Wall Mount, Flood



#### EXO SGD Sling Dusk-to-Dawn

**Category:**  
Wall Mount, Area,  
Site & Roadway



#### EXO Sling Area

**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
5,001 – 30,000 lm



#### EXO Sling Area tradeSELECT

**Category:**  
Area, Site & Roadway  
**Lumen Range:**  
5,001 – 30,000 lm

### WALL MOUNT



#### EXO LNC Litepack

**Category:**  
Wall Mount  
**Lumen Range:**  
1 – 2,500 lm



#### EXO LNC2 LitePak Micro Strike

**Category:**  
Wall Mount  
**Lumen Range:**  
1 – 5,000 lm



#### EXO Perimaliter®

**Category:**  
Wall Mount  
**Lumen Range:**  
2,500 – 10,000 lm



#### EXO Perimaliter® PVL3

**Category:**  
Wall Mount  
**Lumen Range:**  
2,500 – 10,000 lm



#### EXO Prelude Wallpacks

**Category:**  
Wall Mount  
**Lumen Range:**  
700 – 8,000 lm



#### EXO PRS Perimashield

**Category:**  
Wall Mount  
**Lumen Range:**  
1 – 2,500 lm



#### EXO VBGL2-VWGL2 Wet Location LED Vaportites

**Category:**  
Wall Mount, Canopy & Garage



#### EXO WGH Switchable

**Category:**  
Wall Mount  
**Lumen Range:**  
3,000 – 17,000 lm

### FLOODLIGHTING



#### EXO Lightscraper® Floodlight

**Category:**  
Flood, Landscape  
**Lumen Range:**  
984 – 2,000 lm



#### EXO Lightscraper® RGBW Floodlight

**Category:**  
Flood  
**Lumen Range:**  
142 – 1,950 lm



#### EXO Marshal

**Category:**  
Flood  
**Lumen Range:**  
2104 lm



#### EXO MBUL Mini Decorative LED Bullet

**Category:**  
Flood, Landscape  
**Lumen Range:**  
1 – 2,500 lm

## AREA & SITE



### EVOLVE® EACL

The EACL expands the range of lumen packages down to 3,000 lumens. It is a cost-effective solution for exterior applications requiring below 20,000 lumens



### EVOLVE® EALS

The EALS is ideal for commercial property site-lighting with various mounting options, up to 30,000 lumens and a robust design that allows flexibility.



### EVOLVE® EALP

The EALP offers a variety optical and lumen packages, with three color temperatures and multiple mounting options for ultimate application flexibility.



### EVOLVE® Sports Lighter (ESPL)

The Evolve ESP LED sports lighter is designed to replace legacy 1500W HID systems one-for-one.

## DECORATIVE LED POST TOPS



### EVOLVE® EPAM

The Evolve® EPAM Series LED Americana Post Top offers energy efficiency and quality of light in a classic, Acorn look and style.



### EVOLVE® EPTT

The Evolve® EPTT Series LED Post Top - Town & Country offers energy efficiency, improved uniformity, and high quality of light with a classic open or refractor style.



### EVOLVE® EPST

The Evolve® EPST Series LED Post Top - Salem offers energy efficiency, improved uniformity, and quality of light in a classic, utility carriage look and style.



### EVOLVE® EPTC

The Evolve® EPTC Series LED Post Top - Contemporary Twin Support offers energy efficiency, and quality of light in your choice of two distinct, modern styles.

## CANOPY & GARAGE



### EVOLVE® ECLS

The ECLS offers energy efficiency and quality of light in a sleek low-profile look and style. Ideal for closed ceiling, drive thru and sidewalk applications.



### EVOLVE® ECLP

The ECLP offers energy efficiency and quality of light in a sleek low-profile look. Suitable for wet locations, optimized for open canopy applications.



### EVOLVE® EG2R

The EG2R features advance LED optic specifically designed for applications such as parking decks, with high uniformity and reduced glare it is ideal for safety.

## FLOODLIGHTS




### EVOLVE® EFC

The EFC Compact Flood Light is a replacement for 50W to 150W HID general purpose flood luminaires offering significant energy savings with a long-life LED light source.



### EVOLVE® EFH

The EFH offers world class performance and durability. Ideal for traditional flood solutions like building facade, billboard, warehouse docks and freight yards.



### EVOLVE® EFM

The EFM is our mid-lumen option for flood lighting built for durability. Ideal for general flood lighting and designed to replace up to a 400W HID fixture.




### EVOLVE® EFMH

The EFMH is a medium output line of Hazardous Rated flood lights offering world class performance and durability for industrial, indoor or outdoor applications.


# OUTDOOR LINEAR



## AQUAS



## HYDRO



## AQUAS



**Current**

# NX LIGHTING CONTROLS



## CONNECTED LIGHTING - OUTDOOR

### Wireless Solutions

NX Lighting Controls offers a broad portfolio of wireless control devices and NX enabled luminaires to deliver a scalable solution to support a variety of outdoor standalone and networked applications. With the removal of wires and simple programming through mobile app or enterprise software, NX Wireless provides a cost-effective install with multiple integrated control methods to comply with code and reduce energy costs. Please scan QR code to view complete list of NX enabled luminaires from Current.



Site & Area



Bollard



Flood & Wall Mount



Canopy & Garage




Sensors



Integrated Solutions

## SYSTEM OVERVIEW



### ONE SYSTEM WIRED AND WIRELESS Inside and Out

### INDOOR & OUTDOOR DEPLOYMENT

Single System for any commercial site spanning indoor and outdoor applications

### CONNECTED LIGHTING PORTFOLIO

Broad offering of NX Enabled Luminaires that simplify installation and system costs

### INTELLIGENCE IS IN OUR DNA

Utilizes a Distributed Network Architecture (DNA) to eliminate single point of failure to deliver unmatched reliability and scalability

### SITE MANAGEMENT

NX Network provides single user interface for system maintenance and configuration

### BUILDING INTEGRATION

The NX system is BTL certified ensuring a seamless experience with existing building management systems



## LINEAR



Adapt Linear DMX



Linear One Exterior



Linear One Interior



Linear One DMX Exterior



Linear One DMX Interior



Adapt Linear




AI Cove



Adapt Cove



Linear XTR



Terra Linear



Aqua Graze



Dyna Graze HD Exterior DMX



Pixel Graze



AI Graze DC DMX

## DIRECT VIEW




AI Graze AC




Linear XTR Direct View



Pixel Bar



AI Dot AC



Flex Tube SC G2




Flex Tube Mini



Flex Tube Spectrum G2

## DIRECT VIEW



Flex Tube DW G2



Flex Tube Pixel Gz



XMT - 500



Pharos TPS 8



Pharos TPS 5



Terra Drum



Unity

## FLOODLIGHTS



Flood One EO



Flood One EO Color



Dyna Drum HO Color G2



Dyna Drum HO White G2



Dyna Drum HO SCS G2



Dyna Drum SO Color G2



Dyna Drum SO White G2



Dyna Drum SO SCS G2



Dyna Drum EO Colour



Dyna Drum EO White



Dyna Drum EO SCS



Dyna Accent White



Dyna Accent Color



Dyna Accent Mini

## FLEX TAPE




Aqua Drum HO



Aqua Drum SO



Flex Mini Channel



Flex 45 Degree Channel



Flex 120



Flex One HO Interior



Flex One HO Exterior



Flex One SO Interior



Flex One SO Exterior



Flex Spectrum Interior



Flex Spectrum Exterior


KINGSTON, ONTARIO CITY HALL




KINGSTON, ONTARIO CITY HALL



PIER WEST – NEW WESTMINSTER, BRITISH COLUMBIA




PIER WEST – NEW WESTMINSTER, BRITISH COLUMBIA




JOHN HEXTALL BRIDGE – CALGARY, ALBERTA



SHAKESPEARE ON THE SASKATCHEWAN – SASKATOON, SA




EDMONTON CITY HALL



EDMONTON CITY HALL



# LIGHT UP YOUR PROJECT.



Contemporary outdoor LED luminaires, the Luuma series helps you to create a never-before-seen ambiance for your project.

Highly efficient optical system (IP66)

Optimized thermal management; lifespan of up to 100 000h

Energy savings of up to 70%

Ready for dimming control systems

Protective and vandal-resistant high-impact acrylic lenses


Multiple configurations

Marine-grade finish




# LIGHT UP YOUR PROJECT

## POST-TOP



## PENDANT



## BOLLARDS



## SIDEMOUNT



## RGBW | LIGHT ENGINE




WHEN LIGHT, LUMINAIRES, AND SURROUNDING ARE IN HARMONY, IT RESULTS IN LOCATIONS WITH A UNIQUE ATMOSPHERE.

**selux**



MELLI™



LINE



ARCA




OLIVIO




SOLAR FLAT PANEL



HEI




MISTELLA




INULA




DISCERA



ELO



ELO WOOD




MODULAR  
COLUMNS



ASTRO



OURAY™




STEELCORE  
BOLLARDS




AVANZA




LANOVA




MTR



SATURN




RITORNO



CORRAL®



EXELIA




QUADRO




BETA



ARC



NOTCH BOLLARD



POLES



WET LOCATION  
M60




M125 LED



SURVIVOR® 9

BE INSPIRED BY OUR SELECTION OF PROJECTS!

**selux**




**EXTERIOR** | Get new ideas for illuminating building facades, bridges, walkways, awnings, and signs in this collection.

**SPI**LIGHTING




ECHO ROUND 3.5 EXTERIOR



LYON



STYK EXTERIOR WALL




STYK




ECHO SHAPES 9.0



ECHO EFFECT



ECHO EFFECT



ECHO EFFECT



STYK



HARBOR EXTERIOR



STYK



ECHO VELOCITY 3.5




ECHO PERFORMANCE COVE 6.0



LYON



STYK



ECHO ROUND 3.5

## FLOODS



C365 Slice




C125 Integral




C165 Integral



C210 Integral



C210 Integral GOBO



C260 Integral



## POST TOPS



FA770 New



FA



IR




F-System



DA



GO



## SPORT LIGHTING




R-System R1 round



R-System gen4



Rival




## BOLLARDS



FA



EL



*if*



*if*round-BD



LB21




LB22






## BOLLARDS



**MiniTondo Dark Wood**



**MiniQuadro Dark Wood**



**Compatto P Wood**



**Rettangolo Wood**



**Verso Flat P**



**Bivio P**




**Bivio F**




**Elmo**


## WALL EFFECT | WALKWAYS




**Verso Flat RD**



**Verso Flat SQ**




**Splaf Flat**



**Splaf Flat Eyelid**

## WALL RECESSED



**Edge AS**



**Edge AS V**



**Passo**



**Passo Inox**

# ARCHITECTURAL AND COMMERCIAL

**HUNZA®**  
PURE OUTDOOR LIGHTING

## BOLLARDS



**Arch Bollard I-Beam**



**Arch Bollard Round**



**Arch Bollard Square**



**Arch Wall Square**



**Blade**




**Bracket Spot Light  
High Power**



**Bracket Spot Light  
High Power RGBW**



**Cast Solid Bronze  
Lawn Light**



**Pole Spot High  
Power RGBW**



**Pond Light  
High Power**



**Pool Light  
High Power**



**SafeTouch 100**




**Liquid Beam Ultra 35  
Wall Spot  
– Tunable White**



**Pillar Light  
High Power**



**Pillar Light High  
Power RGBW**



**Pole Spot High Power**



**Ultra 50 Pole Bracket**



**Ultra 50 Pole Spot**



**Ultra 50 Wall  
Down Light**



**Ultra 50 Wall Spot**

# OUTDOOR

## BOLLARDS



**SERA 4R Up & Down Wall**  
Outdoor wall sconce



**SERA 6R Down Wall**  
Outdoor wall sconce



**SERA 6R Up & Down Wall**  
Outdoor wall sconce



**SERA 6R Surface**  
Outdoor surface mount



**SERA 4Q Down Wall**  
Outdoor wall sconce



**SERA 4Q Up & Down Wall**  
Outdoor wall sconce



**SERA 6Q Down Wall**  
Outdoor wall sconce



**SERA 6Q Up & Down Wall**  
Outdoor wall sconce

## Skyline Zoom Down & Spot

Zoom Spot for Skyline


- 1" Outdoor Zoom Down & Spot for Skyline
- (SW) Standard White
- 780 Delivered Lumens
- 10°-60° Dynamic Zoom



## Cobra Flex Outdoor

Outdoor Flexible Cove Light

- Outdoor Flexible Cove Light
- IP66 Rated
- 1300 Delivered Lumens per foot
- Lengths of 3" to 45"



**THETA | HANDRAIL**  
THETA750  
SNAP


**alphabet**



## LINEAR LIGHTING | STRIP SERIES

### High Power, RGB Outdoor

Great for enhancing outdoor spaces with a dynamic look. Suitable for hospitality, retail and commercial environments.



#### Applications

- Aisle and stairway lighting
- Cabinet and cove lighting
- Back lighting
- Showcase lighting
- Linear decorative lighting

### High Power Outdoor

Exterior rated suitable for those commercial, retail and hospitality applications requiring higher illumination.



#### Applications

- Aisle and stairway lighting
- Cabinet and cove lighting
- Back lighting
- Showcase lighting
- Linear decorative lighting

### High Power eStrip

The High Power LED eStrip is an advanced version that delivers twice the lumen output compared to the standard eSTRIP, enhancing illumination capabilities.



#### Applications

- Building outlines
- Coves
- Stairway and aisle lighting
- Signage
- Backlit panels
- Decks
- Edgelit glow
- Emergency lighting
- Pathway lighting
- Billboards
- Highlighting architectural features
- Over/Under cabinets

### RGB eStrip

The RGB eSTRIP, featuring RGB LEDs, enables the creation of dramatic colour change effects, suitable for building outlines and architectural highlights.




#### Applications

- Building outlines
- Coves
- Stairway and aisle lighting
- Signage
- Backlit panels
- Decks
- Edgelit glow
- Emergency lighting
- Pathway lighting
- Billboards
- Highlighting architectural features
- Over/Under cabinets

### Neon Flex

LED Neon Flex is a flexible lighting solution designed to accentuate architectural and design elements, adding colour and vibrancy to building exteriors.



#### Applications

- Building outlines
- Stairway and aisle lighting
- Signs
- Decks
- Pathway lighting
- Billboards
- Highlighting architectural features

### 24V Wall Washer

The 24V LED Wall Washer is engineered for illuminating architectural features, signage, and landscapes with its advanced lighting capabilities. It provides a versatile solution for both indoor and outdoor spaces, combining functionality with aesthetic enhancement.




#### Applications

- Architectural lighting
- Signage
- Landscape lighting
- Exterior/interior commercial

### Wall Washer 4' Enclosed

This a type of lighting fixture designed to evenly distribute light over a wall or vertical surface. Enclosed within a 4-foot-long casing, this wall washer is designed for durability and protection against dust, moisture, and other environmental factors.



#### Applications

- Architectural lighting
- Signage
- Landscape lighting
- Exterior/interior commercial

# LANDSCAPE LIGHTING SYSTEMS



## AREA



AL06LEDP



AL08

## DIRECTIONAL



DL15SM



DL17

## FLOODLIGHTS



LFL01LEDP



LFL01LEDP12/LED24

## PATH



PL22



PL23 / DM


## FLAG POLE



FAPM73  
(Flag Pole Light)



FA-TR



# GS Lighting Group

A division of Gross Sales Ltd.

## 30+ YEARS



### Showroom Lighting Center:

26 Glebe Street, Cambridge, Ontario, N1S 2P1  
Open: Monday – Friday 9:00 a.m. to 5:00 p.m.

Tel: 519-267-6262

Email: [sales@gslightinggroup.ca](mailto:sales@gslightinggroup.ca)

Website: [www.gslightinggroup.ca](http://www.gslightinggroup.ca)



Book a design meeting, lighting  
audit or lighting seminar today!